#3

PATENT Attorney Docket 4746US

02 U.S. PTO 9/828572	34/06/01
)1100)0	

NOTICE OF EXPRESS MAILING

Express Mail Mailing Label Number: EL 700255968US

Date of Deposit with USPS: April 6, 2001

Person making Deposit: Jared Turner

APPLICATION FOR LETTERS PATENT

for

HEAT RESISTANT REFLECTING LAYER, LAMINATE FORMED OF THE REFLECTING LAYER, AND LIQUID CRYSTAL DISPLAY DEVICE HAVING THE REFLECTING LAYER OR THE LAMINATE

Inventors:

Takashi UENO Tokyo, Japan

Attorney:

Laurence B. Bond Registration No. 30,549 TRASKBRITT, PC P.O. Box 2550 Salt Lake City, Utah 84110 (801) 532-1922

10

15

20

25



HEAT-RESISTANT REFLECTING LAYER, LAMINATE FORMED OF THE REFLECTING LAYER, AND LIQUID CRYSTAL DISPLAY DEVICE HAVING THE REFLECTING LAYER OR THE LAMINATE

BACKGROUND OF THE INVENTION

[0001] The present invention relates to a highly heatresistant reflecting layer, which is used for producing a
reflector or a reflective wiring electrode of a liquid
crystal display device, a reflecting layer for building
glass, a laminate, or a liquid crystal display device.
More particularly, the present invention relates to an Agalloy reflecting layer that has a high reflection index, a
laminate formed by the reflecting layer, and a liquid
crystal display device having the reflecting layer or the
laminate.

[0002] Various materials are used for reflecting layers including a reflecting layer for producing a reflector or a reflecting wiring electrode of a liquid crystal display device and a reflecting layer for building glass that reflects infrared rays and heat rays. In addition, laminates of the reflecting layers are developed to increase the reflection index and to improve the functionality of the products. The products of the reflecting layers, which have improved characteristics, have been used in various fields and for various applications.

30 [0003] Typical materials for the reflecting layers are Al, an Al alloy that includes Al as its main component, Ag, an Ag alloy that includes Ag as its main component (such as Ag-Pd), and an Au alloy. The reflecting layers formed of such materials have high reflection index in the optical wavelength regions from 400 to 4000 nm, which include both

35

visible and infrared regions.

[0004] Al has high reflection index and is very inexpensive and useful. Al and an Al alloy are usually used for the reflector and the reflective wiring electrode of 5 reflection-type liquid crystal display devices. Such liquid crystal display devices are used for portable terminal devices such as cellular phones. When an Al alloy is used, problems associated with pure Al such as irregularities in the layer, which are called hillocks, 10 and deterioration of the face of the reflector and the reflective wiring electrode can be overcome. When the reflection index of the reflector and the reflective wiring electrode is high, the electric power sent to the light source is reduced and the illuminance of the liquid 15 crystal display device increases by about 20 %.

[0005] Ag has the highest reflection index among many metal elements in the optical wavelength regions from 400 to 4000 nm. Therefore, Ag has good characteristics for a reflecting layer.

[0006] Among visible rays, infrared rays, and ultraviolet rays that are emitted from the sun, Al, Al alloy, Ag, and Ag alloy transmit the visible rays and reflect the infrared rays and heat rays. The visible rays have direct relation with lighting. The reflection of the infrared rays and the heat rays is effective to prevent the outside rays from coming into a room. Therefore, the above
30 materials are used for building glass such as windowpanes.

[0007] However, conventional reflecting layers formed of Al, Al alloy, Ag, Ag alloy including Ag-Pd, Au, Au alloy, and reflectors, reflective wiring electrodes, and building glass that are formed of the reflecting layers have the

30

35

following problems.

[0008] Al and an Al alloy are chemically unstable. A liquid resist, which is made of organic material, is applied to the Al layer or the Al alloy layer, and a pattern is 5 formed on the layer. When the patterned layer is washed with an alkali solution to remove the resist, the surface of the layer may become rough and lowering of the reflection index or scattering of the light on the surface may occur. In addition, Al may react with gas generated 10 from a resin substrate when used with a resin substrate such as PMMA (polymethyl methacrylate) and silicone. Al can be used only with substrates that generate little gas and thus limits materials available for the substrates. There is a problem of chemical stability in Al-containing 15 reflecting layers and resin substrates when they contact each other in use.

[0009] Al and Al alloy have greater optical absorptivity
than Ag and Ag alloy. Therefore, semi-transmissive reflecting layer formed of Al and Al alloy suffers optical loss.

resistance. Diffusion of atoms is likely to occur on the surface of a reflecting layer formed of such materials in given temperatures. Particularly, Ag has high self-diffusion energy for heat and it changes over time when heat is applied. When heat causes the temperature of the reflecting layer to rise to about 100 °C, even if temporarily, diffusion of atoms will occur on the surface of the layer and the layer will lose luster and become dull. In other words, Ag's characteristic feature of high reflection index is impaired. Therefore, it is necessary to limit the temperature during the manufacturing process

15

20

35

of a reflector for a liquid crystal display device when it is formed of Al or Ag. Further, an Al or Ag reflecting layer for building glass is thermally instable and chemically varies (e.g. changes in color) when exposed the warm air in summer.

[0011] Al, Al alloy, Ag, and Ag alloy vary greatly over time with heat so that such materials cannot be exposed directly to air. Therefore, to ensure material stability of the reflecting layer, a heat-resistant protective layer such as ZnO₂ or a ZnO₂-Al₂O₃ composite oxide is generally needed.

In such combinations, the reflecting layer separates from the substrate immediately after it is deposited or after it is left on the substrate for a long time. To improve adhesion between the reflecting layer and the substrate, various base films must be positioned between them.

[0013] The reflection index of Ag or Ag alloy is the highest in visible regions, i.e., the optical wavelength regions from 400 to 800 nm. However, in the wavelength regions below 450 nm, the absorptivity and absorption coefficient of Ag increase and the intensity of yellow reflected light is increased. Accordingly, a liquid crystal display device formed by a Ag-containing reflecting layer and a portable terminal device including the liquid crystal display device have a poor appearance and become yellow over time.

[0014] Further, Ag is not superior in weather resistance.
When left in the air, Ag absorbs moisture (especially water) in the air and turns yellow. Long after an Ag-


containing reflecting layer is formed on the glass substrate or the resin substrate, Ag's characteristic feature of high reflection index is impared.

- [0015] An Ag-Pd alloy including Ag and 1-3 wt% Pd, an Ag-Au alloy including Ag and 1-10 wt% Au, and an Ag-Ru alloy including Ag and 1-10 wt% Ru are well known as binary Ag alloys that have high corrosion resistance and high heat resistance. However, black stains are observed even in the alloy layers formed of these Ag alloys when a weatherproof 10 test is conducted under high temperature and high humidity It is comfirmed under an optical microscope conditions. that the black stains are portions that turned black and were caused to protrude after Pd reached a limitation of solid solution with respect to H_2 dissolution. When used 15 as building glass, the above binary alloy lacks long-term stability in humid regions or when exposed to condensation droplets.
- 20 [0016] Ag-Au afloy is well known as a stable alloy in which Ag and Au are perfectly mixed in solid states. The resistance of the Ag-Au alloy to halogen elements such as chlorine is not excellent. The Ag-Au alloy binds to chlorine or iodine in the air, which is introduced during the test, at atomic level, and produces the black stains.

[0017] Aside from Al and Ag, Au is also known for its high reflection index. However, Au is very expensive and impractical to use for the reflector of a liquid crystal display device or the reflecting layer for building glass.

SUMMARY OF THE INVENTION

[0018] It is an object of the present invention to provide a
35 reflecting layer that maintains a high optical reflection



5 [0019] It is another object of the present invention to provide a laminate including a coating layer that allows the laminate to maintain the high optical reflection index of an Ag-containing reflecting layer and to have lower absorptivity at short wavelengths.

10

[0020] It is yet another object of the present invention to provide a laminate including a base film that enhances adhesion between an Ag-containing reflecting layer and a substrate.

[0021] It is a further object of the present invention to provide a liquid crystal display device having the reflective layer or the laminate described above.

20 [0022] A reflecting layer of the present invention comprises Ag as a main component, a 0.1-3.0 wt% first element selected from the group consisting of Au, Pd, and Ru, and a 0.1-3.0 wt% second element selected from the group consisting of Cu, Ti, Cr, Ta, Mo, Ni, Al, Nb, Au, Pd, and Ru. The second element is different from the first element.

[0023] One laminate comprises a substrate and a reflecting layer deposited on the substrate. The reflecting layer includes Ag as a main component, a 0.1-3.0 wt% first element selected from the group consisting of Au, Pd, and Ru, and a 0.1-3.0 wt% second element selected from the group consisting of Cu, Ti, Cr, Ta, Mo, Ni, Al, Nb, Au, Pd, and Ru. The second element is different from the first

35 element.

[0024] Another laminate comprises a substrate, a base film deposited on the substrate, and an Ag-containing reflecting layer deposited on the base film. The base film is made of at least one of Si, Ta, Ti, Mo, Cr, Al, ITO, ZnO_2 , SiO_2 , TiO_2 , Ta_2O_5 , ZrO_2 , In_2O_3 , SnO_2 , Nb_2O_5 , and MgO.

[0025]Yet another laminate comprises an Ag-containing
reflecting layer and a coating layer deposited on the
10 reflecting layer. The coating layer includes In₂O₃ as a
main component and at least one of SnO₂, Nb₂O₅, SiO₂, MgO,
and Ta₂O₅.

[0026] A liquid crystal display device including the
15 reflective layer or the laminate described above and a portable terminal device having the liquid crystal display device are also provided.

[002710ther aspects and advantages of the invention will become apparent from the following description, taken in conjunction with the accompanying drawings, illustrating by way of example the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

100281 The invention, together with objects and advantages thereof, may best be understood by reference to the following description of the presently preferred embodiments together with the accompanying drawings in which:

[0029] Fig. 1 is a perspective view of a portable terminal device including a liquid crystal display device.

20

35

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0030] An Ag-alloy reflecting layer of the present invention comprises:

[0031] i) Ag as a main component;

5 [0032] ii) a 0.1-3.0 wt% first element selected from the group consisting of Au, Pd, and Ru; and [0033] iii) a 0.1-3.0 wt% second element selected from the group consisting of Cu, Ti, Cr, Ta, Mo, Ni, Al, Nb, Au, Pd, and Ru, wherein the second element is different from the first element.

[0034] The addition of Au, Pd, or Ru to Ag improves the weather resistance of Ag under high temperature and high humidity conditions. Ag, which is the main component, has very high thermal conductivity and tends to absorb heat and is quickly saturated with heat at the atomic level. Au, Pd, and Ru decrease the thermal conductivity of Ag and inhibit movement among atoms. Au, Pd, and Ru form whole solid solution. The content of Au, Pd, and Ru is preferably from 0.7 to 2.3 wt%, most preferably 0.9 wt%.

[0035]Cu, Ti, Cr, Ta, Mo, Ni, Al, and Nb, in combination
with Au, Pd, and Ru, improve the heat resistance and
weather resistance of the Ag-alloy reflecting layer. The
content of Cu, Ti, Cr, Ta, Mo, Ni, Al, and Nb is
preferably from 0.5 to 2.5 wt%, most preferably 1.0 wt%.

[0036] Without Cu, Ti, Cr, Ta, Mo, Ni, Al, or Nb, two or
more of Au, Pd, and Ru may be contained in the reflecting
layer to improve the heat resistance and weather
resistance of the reflecting layer.

[0037] In the reflecting layer of the present invention, compared with reflecting layers of pure Al and pure Ag, movement of surface particles is poor. In other words, the

30

self-diffusion energy of Ag upon heating is reduced in the reflecting layer of the present invention. Accordingly, the reflecting layer of the present invention resists self-diffusion, which improves heat resistance of the reflecting layer. The reflecting layer is heated during the manufacturing process or under a certain weather condition. In the reflecting layer of the present invention, a decrease in the reflection index is prevented. Specifically, when the reflecting layer is heated over 100 °C, a visual change in the reflecting layer (to a dull white color) due to self-diffusion and an increase in light absorption due to deformation of the surface are prevented.

15 [0038] The reflecting layer of the present invention has high heat resistance, a high reflection index, and is stable when exposed to alkaline organic materials. Further, the reflecting layer is chemically stable to gas emitted from a resin substrate. High heat resistance and reflection index are required for a reflector or a reflective wiring electrode of the reflection-type liquid crystal display device and a heat-ray or infrared-ray reflecting layer for building glass. The reflecting layer of the present invention may be used for all of them.

[10039] The reflecting layer of the present invention may be produced either by sputtering or by deposition. The reflecting layers of the present invention are stable regardless of its manufacturing process and have stable characteristics for various purposes and for many kinds of substrates.

[0040] A coating layer, which is highly heat-resistant, may be laid on the Ag-containing reflecting layer. The coating layer includes In_2O_3 as a main component and at least one

5

of SnO_2 , $\mathrm{Nb}_2\mathrm{O}_5$, SiO_2 , MgO and $\mathrm{Ta}_2\mathrm{O}_5$. The reflecting layer may be of pure Ag or an Ag alloy. In either case, high reflection index of the reflecting layer is maintained and absorptivity at short wavelengths is reduced compared with a reflecting layer without a coating layer.

[0041] The reflecting layer of the present invention, together with a resin substrate or a glass substrate, may form a laminate. When a resin substrate of specific purity or composition is used, a large amount of gas occurs. It is very likely that metal will react with the gas, and an unstable film, such as an oxide film, will form at the interface between the reflecting layer and the resin substrate. In this case, metal oxide is better than a metal element for preventing reductive reaction. To eliminate the above disadvantage, a base film for promoting adhesion may be placed between the reflecting layer and the resin substrate or the glass substrate.

- 20 [0042] The base film for a glass substrate may include Si, Ta, Ti, Mo, Cr, Al, ITO (the composite oxide of In oxide and Sn oxide), ZnO₂, SiO₂, TiO₂, Ta₂O₅, ZrO₂, In₂O₃, SnO₂, Nb₂O₅, or MgO.
- 25 [0043] A base film that is made of elemental metals such as Si, Ta, Ti, Mo, Cr, and Al may be formed by deposition (or evaporation), sputtering, CVD, or ion plating. These processes can be used consecutively in producing the base film and the Ag alloy reflecting layer, which facilitates the manufacture of the layers.

[0044] A base film that is made of metal oxides such as ITO, ZnO_2 , SiO_2 , TiO_2 , Ta_2O_5 , ZrO_2 , In_2O_3 , SnO_2 , Nb_2O_5 , and MgO may also be formed easily by deposition, sputtering, or ion plating. For example, when an IR reflecting layer for a

windowpane is formed, a layer of the uniform reflection characteristics may be formed by any of the above processes.

15 [0046] The glass substrates for liquid crystal display devices and the glass substrate for building glass are large in size. For such substrates, a fine structure and accurate surface profile across the thickness are very important for the formed layers. Therefore, sputtering is preferred. When the base film is formed by sputtering, the atmosphere in the sputtering device is evacuated to form a stable base film. When the resin substrate is used, gas occurs during the evacuation and the vacuum level is not raised. Therefore, for the resin substrate, the deposition process is preferred.

[0047] The base film for the resin substrate especially requires chemical stability. Thus, the base film for the resin substrate is preferably a thin film of metal oxide.

When used with the reflecting layer of the present invention, the base film for the resin substrate preferably includes ITO, ZnO₂, SiO₂, TiO₂, Ta₂O₅, ZrO₂, In₂O₃, SnO₂, Nb₂O₅, or MgO, more preferably, ITO, ZnO₂, SiO₂, TiO₂, Ta₂O₅, or ZrO₂.

[0048] To have the improved electrical characteristics of a reflective wiring electrode, a base film preferably includes a conductive metal oxide of ITO, ZrO₂ or a composite oxide about a thickness of 1-10 nm. This base film is highly insulative and volume resistivity of the laminate, which includes the Ag alloy reflecting layer and the base film, is substantially improved. Thus, the characteristics of the reflecting layer are maintained with the base film.

10

15

20

25

[0049] To inhibit the deterioration of optical characteristics such as the reflection index and the refraction index, a base film preferably includes SiO_2 , TiO_2 , Ta_2O_5 , ZrO_2 , In_2O_3 , SnO_2 , Nb_2O_5 , or MgO. Since SiO_2 absorbs less light at the optical wavelength regions from 400 to 4000 nm, it can inhibit the deterioration of the reflection index due to the increase in absorptivity. Since TiO_2 , Ta_2O_5 , ZrO_2 , In_2O_3 , SnO_2 , Nb_2O_5 , and MgO have high refractive indices and low absorptivities, they are also preferred.

[0050] When the base film is used, the degree of adhesion and the optical characteristics of the laminate are improved and the thermal stability of the laminate is maintained. The optical characteristics of the laminate are maintained regardless of the types of the reflecting layers (whether pure Ag or an Ag alloy). Thus, the reflecting layers of the present invention achieve the best performance.

30

35

[0051] As shown in Fig.1, a portable terminal device 1 includes a liquid crystal display device 2. The liquid crystal display device 2 is formed by a reflector on a lower glass substrate, a color filter, a polarizing layer, a liquid crystal layer, a polarizing layer, a transparent

15

conductive layer, and an upper glass substrate, which are laminated in order. The laminate of the present invention, which serves as the reflector, is protected from alkaline materials generated during the manufacturing process of the color filter. The laminate has a higher reflection index and a lower optical absorptivity than the reflector of pure Al or an Al alloy, and a liquid crystal display device 2 having the laminate suffers less optical loss. The brightness of a liquid crystal display device 2 having the laminate of the present invention is greater than that of a liquid crystal display device having the reflector of pure Al or Al alloy. A portable terminal device 1 having such a liquid crystal display device 2 has an improved display. Therefore, the quality of the product is improved.

,

Examples

Comparison

[0052] Ag-alloy reflecting layers were produced from the
20 binary Ag alloys. Binary means two elements, i.e., Ag as a main component and Au, Pd or Ru. The content of Au, Pd or Ru was 0.1-4.0 wt%.

[0053] Firstly, an Ag target and a Pd target are installed in a magnetron sputtering apparatus. Electrical discharges to the Ag and Pd targets were controlled at the specific RF power. Ar (Argon) gas was selectively set within the range from 0.1 to 3.0 Pa. The two metal elements were simultaneously sputtered to form binary Ag-alloy layers that contain Pd at several different levels. Ag-alloy layers that contain Au or Ru at several different levels were also produced.

[0054] Quartz substrates, which are 100 mm \times 100 mm \times 1.1 t in size, were used as a substrate. The temperature of the

10

15

20

substrates during the sputtering process was room temperature (about 25 $^{\circ}$ C). Using Ar gas as an exclusive sputtering gas in an high vacuum atmosphere where the ultimate vacuum level was 3 \times 10E-6 Pa, the Ag-alloy layer was deposited on the quartz substrate so that the thickness of the layer was 20 nm.

[0055] The reason for depositing the Ag-alloy layer in the high vacuum atmosphere is to prevent impure gas from staying in the layer and to make the layer compact. Thus, the desired characteristics of the Ag-alloy material are ensured.

[0056] The resultant Ag-alloy layers were kept on a hot plate for about 2 hours. Then the layers were observed. The presence or absence of visual change (to a dull white color) in the layer surface and the time when the visual change occurred were examined. The hot plate was heated to 250 °C at a heating rate of 20 °C/min by resistance heating. The reflection index of the Ag-alloy layers before and after heating was also examined. The results are shown in Table 1.

Table 1

Material composition (wt%)	Surface state of the layer after heating at 250 °C	The time when the visual change occurred	Differences of reflection index before and after heating (wavelength of 800 nm)
Ag	dull white color over the surface	100 ℃	-25 %
Ag99.9Pd0.1	dull white color over the surface	100 ℃	-22 %
Ag99.5Pd0.5	dull white color over the surface	100 ℃	-22 %
Ag99.0Pd1.0	dull white color over the surface	120 ℃	-21 %
Ag98.5Pd1.5	dull white color over the surface	120 ℃	-21 %
Ag98.0Pd2.0	dull white color over the surface	130 ℃	-20 %
Ag97.5Pd2.5	dull white color at the	150 ℃	-7.4 % (unchanged region

			
	middle portion		was measured)
Ag97.0Pd3.0	weak white color around	150 ℃	-6.5 % (unchanged region
-	the middle portion		was measured)
Ag96.5Pd3.5	weak white color around	150 ℃	-6.1 % (unchanged region
11.85	the middle portion		was measured)
Ag96.0Pd4.0	weak white color around	150 ℃	-6.1 % (unchanged region
11g00.01 u 1.0	the middle portion	100 0	was measured)
	the middle portion		was measured)
Ag99.9Au0.1	dull white color over the	100 ℃	-22 %
Agaa.aAuo.1	surface	100 C	-22 /6
A =00 5 A = 0 5	dull white color over the	100 ℃	-22 %
Ag99.5Au0.5		100 C	-22 %
4 00 04 10	surface	100 %0	01.0/
Ag99.0Au1.0	dull white color over the	120 ℃	-21 %
1 00 71 7 7	surface	100 00	0100
Ag98.5Au1.5	dull white color over the	120 ℃	-21 %
1 20 21 2 2	surface	100.00	
Ag98.0Au2.0	dull white color over the	130 ℃	-21 %
	surface	<u> </u>	
Ag97.5Au2.5	dull white color at the	150 ℃	-7.0 % (unchanged region
	middle portion		was measured)
Ag97.0Au3.0	weak white color around	150 ℃	-6.5 % (unchanged region
	the middle portion		was measured)
Ag96.5Au3.5	weak white color around	150 ℃	-6.0 % (unchanged region
	the middle portion		was measured)
Ag96.0Au4.0	weak white color around	150 ℃	-6.0 % (unchanged region
	the middle portion		was measured)
i		1	
Ag99.9Ru0.1	dul white color over the	100 ℃	-22 %
<u> </u>	surface		
Ag99.5Ru0.5	dull white color over the	100 ℃	-22 %
	surface		
Ag99.0Ru1.0	dull white color over the	120 ℃	-21 %
	surface		
Ag98.5Ru1.5	dull white color over the	120 ℃	-20 %
	surface		
Ag98.0Ru2.0	dull white color over the	130 ℃	-20 %
	surface		<u></u>
Ag97.5Ru2.5	dull white color at the	→ 150 °C	-7.4 % (unchanged region
	middle portion		was measured)
Ag97.0Ru3.0	weak white color around	150 ℃	-6.5 % (unchanged region
	the middle portion		was measured)
Ag96.5Ru3.5	weak white color around	150 ℃	-6.1 % (unchanged region
	the middle portion		was measured)
Ag96.0Ru4.0	weak white color around	150 ℃	-6.1 % (unchanged region
11600.01tu 4.0	the middle portion	1000	was measured)
	one middle borrion	l	was measured)

[0057] As shown in Table 1, the visual change in the layer surface was not inhibited in the binary Ag-alloy layers including Au, Pd, or Ru as in the pure Ag layer. It was supposed that these binary layers were not heat resistant and unstable when exposed to the outdoor temperatures and sun rays. The reflection index of the binary Ag-alloy layers after heating was improved by only 2 to 3 % compared with that of the pure Ag layer after heating. Therefore, no anti-surface diffusion effects due to the addition of Au, Pd, and Ru were confirmed.

Example 1

10

5

[0058]Ag-alloy reflecting layers of the present invention
were produced from the ternary Ag alloys. Ternary means
three elements, i.e., Ag as a main component, a first
element selected from the group consisting of Au, Pd, and
Ru, and a second element selected from the group
consisting of Cu, Ti, Cr, Ta, Mo, Ni, Al, Nb, Au, Pd, and
Ru. The second element is different from the first element.
The contents of the first element and the second element
were 0.1-3.0 wt%.

20

[0059] Firstly, targets of Ag target, the first element, and the second element are installed in a magnetron sputtering apparatus. The three metal elements were simultaneously sputtered to form Ag-alloy layers.

25

30

[0060] As in the Comparison, quartz substrates, which were $100 \text{ mm} \times 100 \text{ mm} \times 1.1 \text{ t}$ in size, were used as a substrate. The temperature of the substrates during the sputtering process was kept at room temperature (about 25 °C). Using Ar gas as an exclusive sputtering gas in an high vacuum atmosphere where the ultimate vacuum level was $3\times 10\text{E}-6$ Pa, the Ag-alloy layer was deposited on the quartz substrate so that the thickness of the layer was 200 nm.

35 [0061] The resultant Ag-alloy layers were kept on a hot

plate for about 2 hours. Then the layers were observed. The presence or absence of visual change (to a dull white color) in the layer surface and the time when the visual change occurred were examined. The reflection index of the Ag-alloy layers before and after heating was also examined. The results are shown in Table 2.

Table 2

	Table	(D) (A)	Differences of
Material	Surface state of the	The time the visual change	reflection index before
composition	layer after heating at	occurred	and after heating
(wt%)	250 ℃	occurred	(wavelength of 800 nm)
	1 1		-1.1 %
Ag99.8Pd0.1Cu0.1	no change observed		-1.0 %
Ag98.4Pd0.1Cu1.5	no change observed		-1.0 %
Ag96.9Pd0.1Cu3.0	no change observed		-0.9 %
Ag98.4Pd1.5Cu0.1	no change observed		-0.7 %
Ag97.0Pd1.5Cu1.5	no change observed		-0.7 %
Ag95.5Pd1.5Cu3.0	no change observed		
Ag96.9Pd3.0Cu0.1	no change observed		-1.0 %
Ag95.5Pd3.0Cu1.5	no change observed		-0.5 %
Ag94.0Pd3.0Cu3.0	no change observed		-0.4 %
Ag99.8Pd0.1Ti0.1	no change observed		-1.1 %
Ag98.4Pd0.1Ti1.5	no change observed		-1.0 %
Ag96.9Pd0.1Ti3.0	no change observed		-1.0 %
Ag98.4Pd1.5Ti0.1	no change observed		-0.9 %
Ag97.0Pd1.5Ti1.5	no change observed		-0.7 %
Ag95.5Pd1.5Ti3.0	no change observed		-0.7 %
Ag96.9Pd3.0Ti0.1	no change observed		-1.0 %
Ag95.5Pd3.0Ti1.5	no change observed		-0.5 %
Ag94.0Pd3.0Ti3.0	no change observed		-0.4 %
Ag99.8Pd0.1Cr0.1	no change observed		-1.1 %
Ag98.4Pd0.1Cr1.5	no change observed		-1.0 %
Ag96.9Pd0.1Cr3.0	no change observed	<u> </u>	-1.0 %
Ag98.4Pd1.5Cr0.1/	no change observed		-0.9 %
Ag97.0Pd1.5Cr1.5	no change observed		-0.7 %
Ag95.5Pd1.5Cr3.0	no change observed	_	-0.7 %
Ag96.9Pd3.0Cr0.1	no change observed		-1.0 %
Ag95.5Pd3.0Cr1.5	no change observed		-0.5 %
Ag94.0Pd3.0Cr3.0	no change observed	_	-0.4 %
Ag99.8Pd0.1Ta0.1	no change observed	_	-1.1 %
Ag98.4Pd0.1Ta1.5	no change observed		-1.0 %
Ag96.9Pd0.1Ta3.0	no change observed		-1.0 %
Ag98.6Pd1.5Ta0.1	no change observed	· _	-0.9 %
Ag97.0Pd1.5Ta1.5	no change observed		-0.7 %
Ag95.5Pd1.5Ta3.0	no change observed		-0.7 %
	no change observed	_	-1.0 %
Ag96.9Pd3.0Ta0.1	no change observed		-0.5 %
Ag95.5Pd3.0Ta1.5	no change observed		-0.4 %
Ag94.0Pd3.0Ta3.0	no change observed		1 0.2 /0

Table 2 Continued

Material composition	Surface state of the	The time the	Differences of reflection
(wt%)	layer after heating at	visual change	index before and after
,	250℃	occurred	heating
_			(wavelength of 800 nm)
Ag98.4Pd0.1Ni0.1	no change observed		-1.1 %
Ag98.4Pd0.1Ni1.5	no change observed		-1.0 %
Ag96.9Pd0.1Ni3.0	no change observed		-1.0 %
Ag98.4Pd1.5Ni0.1	no change observed		-0.9 %
Ag97.0Pd1.5Ni1.5	no change observed		-0.7 %
Ag95.5Pd1.5Ni3.0	no change observed		-0.7 %
Ag96.9Pd3.0Ni0.1	no change observed		-1.0 %
Ag95.5Pd3.0Ni1.5	no change observed		-0.5 %
Ag94.0Pd3.0Ni3.0	no change observed	_	-0.4 %
Ag99.8Pd0.1Al0.1	no change observed		-1.1 %
Ag98.4Pd0.1Al1.5	no change observed		-1.0 %
Ag96.9Pd0.1Al3.0	no change observed	_	-1.0 %
Ag98.4Pd1.5Al0.1	no change observed		-0.9 %
Ag97.0Pd1.5Al1.5	no change observed		-0.7 %
Ag95.5Pd1.5Al3.0	no change observed		-0.7 %
Ag96.9Pd3.0Al0.1	no change observed		-1.0 %
Ag95.5Pd3.0Al1.5	no change observed	_	-0.5 %
Ag94.0Pd3.0Al3.0	no change observed	_	-0.4 %
Ag99.8Pd0.1Nb0.1	no change observed	_	-1.1 %
Ag98.4Pd0.1Nb1.5	no change observed		-1.0 %
Ag96.9Pd0.1Nb3.0	no change observed	_	-1.0 %
Ag98.4Pd1.5Nb0.1/	no change observed	_	-0.9 %
	no change observed	_	-0.7 %
Ag95.5Pd1.5Nb3.0	no change observed	_	-0.7 %
Ag96.9Pd3.0Nb0.1	no change observed	_	-1.0 %
Ag95.5Pd3.0Nb1.5	no change observed	_	-0.5 %
Ag94.0Pd3.0Nb3.0	no change observed	_	-0.4 %
Aga4.Ur do.Uribo.U	HO CHAILEC ODDOLLOW		

Table 2 Continued

	Table 2 Cont		D:66
Material	Surface state of the	The time the	Differences of reflection index before
composition	layer after heating at	visual change occurred	and after heating
(wt%)	250℃	occurred	(wavelength of 800
			nm)
	ļ		-1.1 %
Ag99.8Pd0.1Mo0.1	no change observed		-1.0 %
Ag98.4Pd0.1Mo1.5	no change observed		
Ag96.9Pd0.1Mo3.0	no change observed	<u> </u>	-1.0 %
Ag98.4Pd1.5Mo0.1	no change observed		-0.9 %
Ag97.0Pd1.5Mo1.5	no change observed		-0.7 %
Ag95.5Pd1.5Mo3.0	no change observed	· —	-0.7 %
Ag96.9Pd3.0Mo0.1	no change observed		-1.0 %
Ag95.5Pd3.0Mo1.5	no change observed		-0.5 %
Ag94.0Pd3.0Mo3.0	no change observed		-0.4 %
Ag99.8Pd0.1Au0.1	no change observed		-1.1 %
Ag98.4Pd0.1Au1.5	no change observed	—	-1.0 %
Ag96.9Pd0.1Au3.0	no change observed	-	-1.0 %
Ag98.4Pd1.5Au0.1	no change observed		-0.9 %
Ag97.0Pd1.5Au1.5	no change observed	_	-0.7 %
Ag95.5Pd1.5Au3.0	no change observed	_	-0.7 %
Ag96.9Pd3.0Au0.1	no change observed	_	-1.0 %
Ag95.5Pd3.0Au1.5	no change observed	_	-0.5 %
Ag94.0Pd3.0Au3.0	no change observed	_	-0.4 %
Ag99.8Au0.1Ru0.1	no change observed	_	-1.0 %
Ag98.4Au0.1Ru1.5	no change observed	_	-0.8 %
Ag96.9Au0.1Ru3.0,	no change observed	_	-0.5 %
Ag98.4Au1.5Ru0.1	no change observed	_	-1.0 %
Ag97.0Au1.5Ru1.5	no change observed	<u></u>	-0.3 %
Ag95.5Au1.5Ru3.0	no change observed	_	-0.6 %
Ag96.9Au3.0Ru0.1	no change observed	_	-0.8 %
Ag95.5Au3.0Ru1.5	no change observed	— .	-0.5 %
Ag94.0Au3.0Ru3.0	no change observed		-0.8 %
Ag99.8Pd0.1Ru0.1	no change observed		-1.0 %
Ag98.4Pd0.1Ru1.5	no change observed		-0.9 %
Ag96.9Pd0.1Ru3.0	no change observed		-1.0 %
	no change observed		-0.9 %
Ag98.4Pd1.5Ru0.1	no change observed		-0.8 %
Ag97.0Pd1.5Ru1.5			-0.7 %
Ag95.5Pd1.5Ru3.0	no change observed		-1.0 %
Ag96.9Pd3.0Ru0.1	no change observed		-0.6 %
Ag95.5Pd3.0Ru1.5	no change observed	<u> </u>	-0.4 %
Ag94.0Pd3.0Ru3.0	no change observed		1-0.4 70

AgAuXb

Table 2 Continued

AgAuAb	Table 2 Co		
Material	Surface state of the	The time the	Differences of
composition	layer after heating at	visual change	
(wt%)	250℃	occurred	and after heating
			(wavelength of 800
			nm)
Ag99.8Au0.1Cu0.1	no change observed		-0.9 %
Ag98.4Au0.1Cu1.5	no change observed		-0.8 %
Ag96.9Au0.1Cu3.0	no change observed		-0.8 %
Ag98.4Au1.5Cu0.1	no change observed		-0.7 %
Ag97.0Au1.5Cu1.5	no change observed		-0.6 %
Ag95.5Au1.5Cu3.0	no change observed	<u> </u>	-0.5 %
Ag96.9Au3.0Cu0.1	no change observed		-0.8 %
Ag95.5Au3.0Cu1.5	no change observed		-0.5 %
Ag94.0Au3.0Cu3.0	no change observed		-0.6 %
Ag99.8Au0.1Ti0.1	no change observed		-0.9 %
Ag98.4Au0.1Ti1.5	no change observed		-0.6 %
Ag96.9Au0.1Ti3.0	no change observed		-0.3 %
Ag98.4Au1.5Ti0.1	no change observed		-0.5 %
Ag97.0Au1.5Ti1.5	no change observed		-0.8 %
Ag95.5Au1.5Ti3.0	no change observed		-0.6 %
Ag96.9Au3.0Ti0.1	no change observed		-0.9 %
Ag95.5Au3.0Ti1.5	no change observed		-1.1 %
Ag94.0Au3.0Ti3.0	no change observed	_	-1.0 %
Ag99.8Au0.1Cr0.1	no change observed	 .	-0.8 %
Ag98.4Au0.1Cr1.5	no change observed		-1.0 %
Ag96.9Au0.1Cr3.0,	no change observed	_	-0.6 %
Ag98.4Au1.5Cr0.1	no change observed		-0.9 %
Ag97.0Au1.5Cr1.5	no change observed		-0.4 %
Ag95.5Au1.5Cr3.0	no change observed		-1.1 %
Ag96.9Au3.0Cr0.1	no change observed	_	-0.8 %
Ag95.5Au3.0Cr1.5	no change observed	_	-0.9 %
Ag94.0Au3.0Cr3.0	no change observed		-0.7 %
Ag99.8Au0.1Ta0.1	no change observed		-0.5 %
Ag98.4Au0.1Ta1.5	no change observed	_	-0.6 %
Ag96.9Au0.1Ta3.0	no change observed	_	-1.1 %
Ag98.6Au1.5Ta0.1	no change observed		-0.4 %
Ag97.0Au1.5Ta1.5	no change observed		-0.9 %
Ag95.5Au1.5Ta3.0	no change observed		-0.8 %
Ag96.9Au3.0Ta0.1	no change observed		-0.5 %
Ag95.5Au3.0Ta1.5	no change observed		-1.0 %
	no change observed		-0.6 %
Ag94.0Au3.0Ta3.0	no change observed	L	1 0.0 %

Table 2 Continued

(wt%) 250°C occurred (vector)	lection index before and after heating wavelength of 800 nm) 7 %
(wt%) 250°C occurred (v	wavelength of 800 nm) 7 % 1 %
Ag99.8Au0.1Mo0.1 no change observed — -0.	nm) 7 % 1 %
Ag55.0Au0.11400.1 Ho change ebect to	7 % 1 %
Ag55.0Au0.11400.1 Ho change ebect to	1 %
Aggo.4Ado.1Mo1.b no ondingo observer	
Ag90.5Au0.11100.0 Inc thange observed	8 %
Aggo.4Au1.01100.1 no change observe	4 %
Agg 7.0Au 1.0Mo 1.0 Ho change observed	8.%
Ago.onui.ono.o no change observe	3.%
Agoustido di la charge control	9 %
TAEUU,UIIIU,UIIIU TEUUEUU TEUUEUU TEUUEUU TEUUEUU	1 %
Ag94.0Au3.0Mo3.0 no change observed1.	0 %
Aggg.onuo.iivio.i no chango obcorvoa	5 %
Ag98.4Au0.1Ni1.5 no change observed1.	1 %
Ag96.9Au0.1Ni3.0 no change observed — -0.	8 %
Aggo.4Au1.01110.1 No ontango obcolica	4 %
Ag97.0Au1.5Ni1.5 no change observed1.	0 %
Aggo.onul.olvio.o no change observed	7 %
Ag96.9Au3.0Ni0.1 no change observed0.	9 %
Aggg.ondo.orvir.o no ondingo observor	6 %
Ag94.071db.011db.0 no ondings observe	8 %
Agss.oAuo.mio.i no change esserves	09 %
Aggo.4Auv.1111.0 no change observed	1 %
Aggo.sAuo.mio.o/ no change esserved	7 %
Aggo.4Au1.0210.1 no change observed	9 %
Agg 1.0Au 1.01 II.0 No change observed	5 %
Aggo.oAu1.ono.o no change esserve	4 %
Aggo.gado.ormo.i no onungo obsolito	8 %
Aggo.ordo.ordi.o no change observed	0 %
Agga.onuo.ormo.o no chango oboot.ou	1 %
Aggs.onuo.iivbo.i no change escerve	1 %
Ag98.4Au0.1Nb1.5 no change observed — -1.	0 %
Agoo.onuo.iivoo.o iio onungo o	9 %
Ag98.4Au1.5Nb0.1 no change observed — -0.	8 %
Ag97.0Au1.5Nb1.5 no change observed — -0.	7 %
Ag95.5Au1.5Nb3.0 no change observed - -0.	8 %
Ag96.9Au3.0Nb0.1 no change observed — -1.	0 %
Ag95.5Au3.0Nb1.5 no change observed0.	4 %
Ag94.0Au3.0Nb3.0 no change observed — -0.	4 %

AgRuX

Table 2 Continued

Agkux	Table 2 Continued		
Material	Surface state of the	The time the	Differences of
composition	layer after heating at		reflection index before
(wt%)	250°C	occurred	and after heating
		•	(wavelength of 800
			nm)
Ag99.8Ru0.1Cu0.1	no change observed		-0.9 %
Ag98.4Ru0.1Cu1.5	no change observed		-0.8 %
Ag96.9Ru0.1Cu3.0	no change observed		-0.7 %
Ag98.4Ru1.5Cu0.1	no change observed		-0.7 %
Ag97.0Ru1.5Cu1.5	no change observed		-0.6 %
Ag95.5Ru1.5Cu3.0	no change observed	_	-0.5 %
Ag96.9Ru3.0Cu0.1	no change observed		-0.7 %
Ag95.5Ru3.0Cu1.5	no change observed		-0.5 %
Ag94.0Ru3.0Cu3.0	no change observed		-0.6 %
Ag99.8Ru0.1Ti0.1	no change observed		-0.9 %
Ag98.4Ru0.1Ti1.5	no change observed		-0.6 %
Ag96.9Ru0.1Ti3.0	no change observed		-0.4 %
Ag98.4Ru1.5Ti0.1	no change observed	_	-0.5 %
Ag97.0Ru1.5Ti1.5	no change observed	_	-0.8 %
Ag95.5Ru1.5Ti3.0	no change observed		-0.5 %
Ag96.9Ru3.0Ti0.1	no change observed	_	-0.9 %
Ag95.5Ru3.0Ti1.5	no change observed	-	-1.1 %
Ag94.0Ru3.0Ti3.0	no change observed	-	-1.0 %
Ag99.8Ru0.1Cr0.1	no change observed		-0.8 %
Ag98.4Ru0.1Cr1.5	no change observed		-1.0 %
Ag96.9Ru0.1Cr3.0,	no change observed		-0.6 %
Ag98.4Ru1.5Cr0.1	no change observed	_	-0.8 %
Ag97.0Ru1.5Cr1.5	no change observed		-0.4 %
Ag95.5Ru1.5Cr3.0	no change observed	_	-1.0 %
Ag96.9Ru3.0Cr0.1	no change observed	_	-0.8 %
Ag95.5Ru3.0Cr1.5	no change observed	_	-0.9 %
Ag94.0Ru3.0Cr3.0	no change observed	_	-0.8 %
Ag99.8Ru0.1Ta0.1	no change observed	_	-0.9 %
Ag98.4Ru0.1Ta1.5	no change observed	_	-0.8 %
Ag96.9Ru0.1Ta3.0	no change observed		-0.7 %
Ag98.6Ru1.5Ta0.1	no change observed		-0.7 %
Ag97.0Ru1.5Ta1.5	no change observed		-0.6 %
Ag95.5Ru1.5Ta3.0	no change observed		-0.5 %
	no change observed		-0.7 %
Ag96.9Ru3.0Ta0.1	no change observed		-0.6 %
Ag95.5Ru3.0Ta1.5			-0.6 %
Ag94.0Ru3.0Ta3.0	no change observed	_	-0.0 /0

Table 2 Continued

	Table 2 Cont	The time the	Differences of
Material	Surface state of the	visual change	reflection index before
composition	layer after heating at	occurred	and after heating
(wt%)	250℃	Occurrou	(wavelength of 800
			nm)
			-0.8 %
Ag99.8Ru0.1Mo0.1	no change observed		-1.0 %
Ag98.4Ru0.1Mo1.5	no change observed		-0.6 %
Ag96.9Ru0.1Mo3.0	no change observed		-0.7 %
Ag98.4Ru1.5Mo0.1	no change observed		-0.4 %
Ag97.0Ru1.5Mo1.5	no change observed		-1.1 %
Ag95.5Ru1.5Mo3.0	no change observed		-0.8 %
Ag96.9Ru3.0Mo0.1	no change observed		
Ag95.5Ru3.0Mo1.5	no change observed		-0.7 %
Ag94.0Ru3.0Mo3.0	no change observed		-0.6 %
Ag99.8Ru0.1Ni0.1	no change observed	<u> </u>	-1.0 %
Ag98.4Ru0.1Ni1.5	no change observed		-1.1 %
Ag96.9Ru0.1Ni3.0	no change observed		-0.8 %
Ag98.4Ru1.5Ni0.1	no change observed		-0.8 %
Ag97.0Ru1.5Ni1.5	no change observed		-0.5 %
Ag95.5Ru1.5Ni3.0	no change observed		-0.5 %
Ag96.9Ru3.0Ni0.1	no change observed		-0.7 %
Ag95.5Ru3.0Ni1.5	no change observed		-1.0 %
Ag94.0Ru3.0Ni3.0	no change observed	-	-1.1 %
Ag99.8Ru0.1Al0.1	no change observed		-1.0 %
Ag98.4Ru0.1Al1.5	no change observed		-1.1 %
Ag96.9Ru0.1Al3.0,	no change observed	_	-0.7 %
Ag98.4Ru1.5Al0.1	no change observed	_	-0.9 %
Ag97.0Ru1.5Al1.5	no change observed	_	-0.5 %
Ag95.5Ru1.5Al3.0	no change observed	_	-0.5 %
Ag96.9Ru3.0Al0.1	no change observed		-0.8 %
Ag95.5Ru3.0Al1.5	no change observed		-1.0 %
Ag94.0Ru3.0Al3.0	no change observed		-1.1 %
Ag99.8Ru0.1Nb0.1	no change observed	_	-1.1 %
Ag98.4Ru0.1Nb1.5	no change observed		-1.0 %
Ag98.4Ru0.1Nb1.5	no change observed		-0.8 %
Ag96.9Ru0.1Nb3.0	no change observed		-0.8 %
Ag98.4Ru1.5Nb0.1			-0.7 %
Ag97.0Ru1.5Nb1.5	no change observed		-0.7 %
Ag95.5Ru1.5Nb3.0	no change observed		-1.0 %
Ag96.9Ru3.0Nb0.1	no change observed		-0.5 %
Ag95.5Ru3.0Nb1.5	no change observed		
Ag94.0Ru3.0Nb3.0	no change observed		-0.4 %

[0062] While the surface change and the accompanying decrease in the reflection index were observed with the Ag-alloy layers in the Comparison, they were not observed

with the Ag-alloy layers of any examined composition in Example 1, as shown in Table 2.

[0063] Moreover, the quartz substrates, on which various Agalloy layers were deposited and which were heated to 250 $^{\circ}$ C as described, were further kept on a hot plate at 400 $^{\circ}$ C for two hours. The surface change and the decrease in the reflection index were not observed in the Ag-alloy layers of any examined composition (data not shown).

10

15

[0064] The Ag-alloy reflecting layers that included Ag and 0.1-3.0 wt% Cu, Ti, Cr, Ta, Mo, Ni, Al, or Nb but did not include Au, Pd, or Ru were produced. As described, the Agalloy layer was deposited on the quartz substrate so that the thickness of the layer was 15nm by simultaneous sputtering. The visual change of the layers was observed over time both at 250 $^{\circ}$ C and 400 $^{\circ}$ C. All the layers became white and the reflection index was decreased (data not shown).

20

[0065] Taken together, it was revealed that the Ag-alloy layers including Ag as a main component, the first element, and the second element had improved heat resistance and maintained high reflection index.

25

35

Example 2

[0066] In this Example, the utility of the ternary Ag-alloy
layers as reflectors and reflective wiring electrodes for
reflection-type liquid crystal display devices was studied.

[0067] The anti-corrosive study on chemical stability was conducted with respect to the conventional metal layers (pure Al, an Al alloy, Ag, binary Ag-alloys) and the ternary Ag-alloy layers of the present invention. A liquid

resist was applied to the reflecting layers and the pattern was formed on them. Then the reflecting layers were washed with an alkali solution (5 % KOH aqueous solution) to remove the resist. The surface of the layers was observed. The results are shown in Table 3.

Table 3

Table	<u> </u>
Material composition (wt%)	Alkali solution
Al	completely reacted
Al96.0Mg4.0	completely reacted
Al coated with acrylic resin	partially reacted
Ag98.0Pd2.0	many black stains
Ag97.0Pd3.0	moderate black stains
Ag99.8Pd0.1Cu0.1	no change
Ag99.4Pd0.5Cu0.1	no change
Ag98.1Pd0.9Cu1.0	no change
Ag98.9Pd1.0Cu0.1	no change
Ag97.9Pd2.0Cu0.1	no change
Ag96.9Pd3.0Cu0.1	no change
Ag96.5Pd3.0Cu0.5	no change
Ag94.0Pd3.0Cu3.0	no change
Ag99.8Pd0.1Ti0.1	no change
Ag99.4Pd0.5Ti0.1	no change
Ag98.1Pd0.9Ti1.0	no change
Ag98.9Pd1.0Ti0.1	no change
Ag97.9Pd2.0Ti0.1	no change
Ag96.9Pd3.0Ti0.1	no change
Ag96.5Pd3.0Ti0.5	no change
Ag94.0Pd3.0Ti3.0	no change
Ag99.8Pd0.1Cr0.1	no change
Ag98.4Pd0.1Cr1.5	no change
Ag96.9Pd0.1Cr3.0	no change
Ag98.4Pd1.5Cr0.1	no change
Ag97.0Pd1.5Cr1.5	no change
Ag95.5Pd1.5Cr3.0	no change
Ag96.9Pd3.0Cr0.1	no change
Ag95.5Pd3.0Cr1.5	no change
Ag94.0Pd3.0Cr3.0	no change
Ag99.8Pd0.1Ta0.1	no change
Ag98.4Pd0.1Ta1.5	no change
Ag96.9Pd0.1Ta3.0	no change
Ag98.4Pd1.5Ta0.1	no change
Ag97.0Pd1.5Ta1.5	no change
Ag95.5Pd1.5Ta3.0	no change
Ag96.9Pd3.0Ta0.1	no change
Ag95.5Pd3.0Ta1.5	no change
Ag94.0Pd3.0Ta3.0	no change
MED S. OI GO. OI GO. O	<u>,,, 9: </u>

Ag99.8Pd0.1Mo0.1	no change
Ag98.4Pd0.1Mo1.5	no change
Ag96.9Pd0.1Mo3.0	no change
Ag98.4Pd1.5Mo0.1	no change
Ag97.0Pd1.5Mo1.5	no change
Ag95.5Pd1.5Mo3.0	no change
Ag96.9Pd3.0Mo0.1	no change
Ag95.5Pd3.0Mo1.5	no change
Ag94.0Pd3.0Mo3.0	no change
Ag98.4Pd0.1Ni0.1	no change
Ag98.4Pd0.1Ni1.5	no change
Ag96.9Pd0.1Ni3.0	no change
Ag98.4Pd1.5Ni0.1	no change
Ag97.0Pd1.5Ni1.5	no change
Ag95.5Pd1.5Ni3.0	no change
Ag96.9Pd3.0Ni0.1	no change
Ag95.5Pd3.0Ni1.5	no change
Ag94.0Pd3.0Ni3.0	no change
Ag99.8Pd0.1Al0.1	no change
Ag98.4Pd0.1Al1.5	no change
Ag96.9Pd0.1Al3.0	no change
Ag98.4Pd1.5Al0.1	no change
Ag97.0Pd1.5Al1.5	no change
Ag95.5Pd1.5Al3.0	no change
Ag96.9Pd3.0Al0.1	no change
Ag95.5Pd3.0Al1.5	no change
Ag94.0Pd3.0Al3.0	no change
Ag99.8Pd0.1Nb0.1	no change
Ag98.4Pd0.1Nb1.5	no change
Ag96.9Pd0.1Nb3.0	no change
Ag98.4Pd1.5Nb0.1	no change
Ag97.0Pd1.5Nb1.5	no change
Ag95.5Pd1.5Nb3.0	no change
Ag96.9Pd3.0Nb0.1	no change
Ag95.5Pd3.0Nb1.5	no change
Ag94.0Pd3.0Nb3.0	no change
Ag99.8Pd0.1Au0.1	no change
Ag98.4Pd0.1Au1.5	no change
Ag96.9Pd0.1Au3.0	no change
Ag98.4Pd1.5Au0.1	no change
Ag97.0Pd1.5Au1.5	no change
Ag95.5Pd1.5Au3.0	no change
Ag96.9Pd3.0Au0.1	no change
Ag95.5Pd3.0Au1.5	no change
Ag94.0Pd3.0Au3.0	no change
Ag99.8Ru0.1Au0.1	no change
Ag98.4Ru0.1Au1.5	no change
Ag96.9Ru0.1Au3.0	no change
	no change
Ag98.4Ru1.5Au0.1	no change
Ag97.0Ru1.5Au1.5	no change
Ag95.5Ru1.5Au3.0	no change
Ag96.9Ru3.0Au0.1	I IIO OMGABO

Ag95.5Ru3.0Au1.5	no change	
Ag94.0Ru3.0Au3.0	no change	
Ag99.8Pd0.1Ru0,1	no change	
Ag98.4Pd0.1Ru1.5	no change	
Ag96.9Pd0.1Ru3.0	no change	
Ag98.4Pd1.5Ru0.1	no change	
Ag97.0Pd1.5Ru1.5	no change	
Ag95.5Pd1.5Ru3.0	no change	
Ag96.9Pd3.0Ru0.1	no change	
Ag95.5Pd3.0Ru1.5	no change	
Ag94.0Pd3.0Ru3.0	no change	

AgAuX Table 3 Continued

agaux Table o continueu		
Material composition (wt	t%) Alkali solution	
98.0Au2.0	many black stains	
97.0Au3.0	moderate black stains	
99.8Au0.1Cu0.1	no change	
99.4Au0.5Cu0.1	no change	
98.1Au0.9Cu1.0	no change	
98.9Au1.0Cu0.1	no change	
97.9Au2.0Cu0.1	no change	
96.9Au3.0Cu0.1	no change	
96.5Au3:0Cu0.5	no change	
94.0Au3.0Cu3.0	no change	
99.8Au0.1Ti0.1	no change	
99.4Au0.5Ti0.1	no change	
98.1Au0.9Ti1.0	no change	
98.9Au1.0Ti0.1	no change	
97.9Au2.0Ti0.1	no change	
96.9Au3.0Ti0.1	no change	
96.5Au3.0Ti0.5	no change	
94.0Au3.0Ti3.0	no change	
99.8Au0.1Cr0.1	no change	
98.4Au0.1Cr1.5	no change	
96.9Au0.1Cr3.0	no change	
98.4Au1.5Cr0.1	no change	
97.0Au1.5Cr1.5	no change	
95.5Au1.5Cr3.0	no change	
96.9Au3.0Cr0.1	no change	
95.5Au3.0Cr1.5	no change	
94.0Au3.0Cr3.0	no change	
	no change	

·	
no change	

AgRuX

Table 3 Continued

-		
Material composition (wt%)	Alkali solution	
Ag98.0Ru2.0	many black stains	
Ag97.0Ru3.0	moderate black stains	
Ag99.8Ru0.1Cu0.1	no change	
Ag99.4Ru0.5Cu0.1	no change	
Ag98.1Ru0.9Cu1.0	no change	
Ag98.9Ru1.0Cu0.1	no change	
Ag97.9Ru2.0Cu0.1	no change	
Ag96.9Ru3.0Cu0.1	no change	
Ag96.5Ru3.0Cu0.5	no change	

Ag94.0Ru3.0Cu3.0	no change	
Ag99.8Ru0.1Ti0.1	no change	
Ag99.4Ru0.5Ti0.1	no change	
Ag98.1Ru0.9Ti1.0	no change	
Ag98.9Ru1.0Ti0.1	no change	
Ag97.9Ru2.0Ti0.1	no change	
Ag96.9Ru3.0Ti0.1	no change	
Ag96.5Ru3.0Ti0.5	no change	
Ag94.0Ru3.0Ti3.0	no change	
Ag99.8Ru0.1Cr0.1	no change	
Ag98.4Ru0.1Cr1.5	no change	
Ag96.9Ru0.1Cr3.0	no change	
Ag98.4Ru1.5Cr0.1	no change	
	no change	
Ag97.0Ru1.5Cr1.5	no change	
Ag95.5Ru1.5Cr3.0	no change	
Ag96.9Ru3.0Cr0.1	no change	
Ag95.5Ru3.0Cr1.5		
Ag94.0Ru3.0Cr3.0	no change	
Ag99.8Ru0.1Ta0.1	no change	
Ag98.4Ru0.1Ta1.5	no change	
Ag96.9Ru0.1Ta3.0	no change	
Ag98.4Ru1.5Ta0.1	no change	
Ag97.0Ru1.5Ta1.5	no change	
Ag95.5Ru1.5Ta3.0	no change	
Ag96.9Ru3.0Ta0.1	no change	
Ag95.5Ru3.0Ta1.5	no change	
Ag94.0Ru3.0Ta3.0	no change	
Ag99.8Ru0.1Mo0.1	no change	
Ag98.4Ru0.1Mo1.5	no change	
Ag96.9Ru0.1Mo3.0	no change	
Ag98.4Ru1.5Mo0.1	no change	
Ag97.0Ru1.5Mo1.5	no change	
Ag95.5Ru1.5Mo3.0	no change	
Ag96.9Ru3.0Mo0.1	no change	
Ag95.5Ru3.0Mo1.5	no change	
Ag94.0Ru3.0Mo3.0	no change	
Ag99.8Ru0.1Ni0.1	no change	
Ag98.4Ru0.1Ni1.5	no change	
Ag96.9Ru0.1Ni3.0	no change	
Ag98.4Ru1.5Ni0.1	no change	
Ag97.0Ru1.5Ni1.5	no change	
Ag95.5Ru1.5Ni3.0	no change	
Ag96.9Ru3.0Ni0.1	no change	
Ag95.5Ru3.0Ni1.5	no change	
Ag94.0Ru3.0Ni3.0	no change	
	no change	
Ag99.8Ru0.1Al0.1		
Ag98.4Ru0.1Al1.5	no change	
Ag96.9Ru0.1Al3.0	no change	
Ag98.4Ru1.5Al0.1	no change	
Ag97.0Ru1.5Al1.5	no change	
Ag95.5Ru1.5Al3.0	no change	
Ag96.9Ru3.0Al0.1	no change	

Ag95.5Ru3.0Al1.5	no change	
Ag94.0Ru3.0Al3.0	no change	
Ag99.8Ru0.1Nb0.1	no change	
Ag98.4Ru0.1Nb1.5	no change	
Ag96.9Ru0.1Nb3.0	no change	
Ag98.4Ru1.5Nb0.1	no change	
Ag97.0Ru1.5Nb1.5	no change	
Ag95.5Ru1.5Nb3.0	no change	
Ag96.9Ru3.0Nb0.1	no change	
Ag95.5Ru3.0Nb1.5	no change	
Ag94.0Ru3.0Nb3.0	no change	

[0068] As shown in Table 3, the decrease in the reflection index was not observed with the Ag-alloy layers of the present invention of any composition. Thus, the ternary Ag-alloy layers are more stable to alkali solution than conventional layers, and the quality of the inventive layers was superior to the conventional layers.

[0069] Next, the reflection index at 500nm and 800nm was
measured in both layers. The range from 500 to 800 nm (565 nm) is the standard optical wavelength range for liquid crystal display devices. As shown in Table 4, the reflection index of the ternary Ag-alloy layers of the present invention was improved by 0.5-3.0 % compared with
Al, the Al alloy, Ag, the binary Ag-alloy layers.

Table 4

Material composition (wt%)	500mm wavelength	800mm wavelength
	reflection index (%)	reflection index (%)
Al	87.2	84.5
Al96.0Mg4.0	83.1	82.3
Al coated with acrylic resin	79.4	76.6
Ag	98.2	98.8
Ag98.0Pd2.0	91.3	94.5
Ag97.0Pd3.0	86.9	92.1
Ag99.8Pd0.1Cu0.1	98.0	98.6
Ag99.4Pd0.5Cu0.1	98.0	98.4
Ag98.1Pd0.9Cu1.0	97.8	98.0
Ag98.9Pd1.0Cu0.1	94.4	97.6
Ag97.9Pd2.0Cu0.1	91.4	94.6
Ag96.9Pd3.0Cu0.1	87.5	93.4
Ag96.5Pd3.0Cu0.5	87.3	92.7

	0.4.77	91.1
Ag94.0Pd3.0Cu3.0	84.7	98.6
Ag99.8Pd0.1Ti0.1	98.0	-/98.4
Ag99.4Pd0.5Ti0.1	98.0	97.9
Ag98.1Pd0.9Ti1.0	97.6	
Ag98.9Pd1.0Ti0.1	94.4	97.6
Ag97.9Pd2.0Ti0.1	91.4	94.6
Ag96.9Pd3.0Ti0.1	87.5	93.4
Ag96.5Pd3.0Ti0.5	87.0	92.5
Ag94.0Pd3.0Ti3.0	87.0	90.7
Ag99.8Pd0.1Cr0.1	94.6	94.7
Ag98.4Pd0.1Cr1.5	91.7	91.7
Ag96.9Pd0.1Cr3.0	89.3	89.7
Ag98.4Pd1.5Cr0.1	91.5	91.7
Ag97.0Pd1.5Cr1.5	86.8	86.8
Ag95.5Pd1.5Cr3.0	84.2	84.2
Ag96.9Pd3.0Cr0.1	85.6	85.6
Ag95.5Pd3.0Cr1.5	83.5	83.5
Ag94.0Pd3.0Cr3.0	82.7	82.7
Ag99.8Pd0.1Ta0.1	94.6	94.7
Ag98.4Pd0.1Ta1.5	91.7	91.7
Ag96.9Pd0.1Ta3.0	89.3	89.7
Ag98.4Pd1.5Ta0.1	91.5	91.7
Ag97.0Pd1.5Ta1.5	86.8	86.8
Ag95.5Pd1.5Ta3.0	84.2	84.2
Ag96.9Pd3.0Ta0.1	85.6	85.6
Ag95.5Pd3.0Ta1.5	83.5	83.5
Ag94.0Pd3.0Ta3.0	82.7	82.7
Ag99.8Pd0.1Mo0.1	94.6	94.7
Ag98.4Pd0.1Mo1.5	91.7	91.7
Ag96.9Pd0.1Mo3.0	89.3	89.7
Ag98.4Pd1.5Mo0.1	91.5	91.7
Ag97.0Pd1.5Mo1.5	86.8	86.8
Ag95.5Pd1.5Mo3.0	84.2	84.2
Ag96.9Pd3.0Mo0.1	85.6	85.6
Ag95.5Pd3.0Mo1.5	83.5	83.5
Ag94.0Pd3.0Mo3.0	82.7	82.7
Ag98.4Pd0.1Ni0.1	96.1	96.1
Ag98.4Pd0.1Ni1.5	95.6	95.6
Ag96.9Pd0.1Ni3.0	94.3	94.8
Ag98.4Pd1.5Ni0.1	92.7	93.7
Ag97.0Pd1.5Ni1.5	91.2	92.1
Ag95.5Pd1.5Ni3.0	88.9	90.7
Ag96.9Pd3.0Ni0.1	86.1	88.9
Ag95.5Pd3.0Ni1.5	84.6	86.2
Ag94.0Pd3.0Ni3.0	82.7	84.6
Ag99.8Pd0.1Al0.1	98.1	98.7
Ag98.4Pd0.1Al1.5	98.1	98.4
	97.6	98.1
Ag98 4Pd1.5Al0.1	96.5	97.6
Ag97 0Pd1.5Al1.5	95.3	96.8
Ag95 5Pd1 5Al3.0	93.5	95.9
Ag96.9Pd3.0Al0.1	91	94.6
Ag96.9Pd0.1Al3.0 Ag98.4Pd1.5Al0.1 Ag97.0Pd1.5Al1.5 Ag95.5Pd1.5Al3.0	97.6 96.5 95.3 93.5	98.1 97.6 96.8 95.9

	1 00 0	93
Ag95.5Pd3.0Al1.5	88.6	91.7
Ag94.0Pd3.0Al3.0	86.1	
Ag99.8Pd0.1Nb0.1	95	95.3
Ag98.4Pd0.1Nb1.5	94.4	94.8
Ag96.9Pd0.1Nb3.0	93.8	94.2
Ag98.4Pd1.5Nb0.1	92.4	92.7
Ag97.0Pd1.5Nb1.5	90.8	91.4
Ag95.5Pd1.5Nb3.0	, 89.5	90.2
Ag96.9Pd3.0Nb0.1	86.7	87.9
Ag95.5Pd3.0Nb1.5	84.6	85.9
Ag94.0Pd3.0Nb3.0	82.7	84.7
Ag99.8Pd0.1Au0.1	96.7	97.0
Ag98.4Pd0.1Au1.5	96.4	96.8
Ag96.9Pd0.1Au3.0	95.8	96.1
Ag98.4Pd1.5Au0.1	92.3	94.5
Ag97.0Pd1.5Au1.5	92.1	94.3
Ag95.5Pd1.5Au3.0	92.4	95.0
Ag96.9Pd3.0Au0.1	85.1	85.3
Ag95.5Pd3.0Au1.5	83.2	83.3
Ag94.0Pd3.0Au3.0	82.0	82.8
Ag99.8Ru0.1Au0.1	96.6	97.1
Ag98.4Ru0.1Au1.5	96.3	96.7
Ag96.9Ru0.1Au3.0	95.8	96.1
Ag98.4Ru1.5Au0.1	92.4	94.4
Ag97.0Ru1.5Au1.5	92.1	94.3
Ag95.5Ru1.5Au3.0	92.4	95.0
Ag96.9Ru3.0Au0.1	85.1	85.3
Ag95.5Ru3.0Au1.5	83.2	83.2
Ag94.0Ru3.0Au3.0	82.0	82.8
Ag99.8Pd0.1Ru0.1	96.7	97.1
Ag98.4Pd0.1Ru1.5	96.4	96.6
Ag96.9Pd0.1Ru3.0	95.8	96.5
Ag98.4Pd1.5Ru0.1	92.3	93.5
Ag97.0Pd1.5Ru1.5	92.0	94.3
Ag95.5Pd1.5Ru3.0	92.3	95.0
Ag96.9Pd3.0Ru0.1	85.0	85.3
Ag95.5Pd3.0Ru1.5	83.3	83.3
Ag94.0Pd3.0Ru3.0	82.1	82.5

AgAuX

Table 4 Continued

Material composition (wt%)	500mm wavelength	800mm wavelength
	reflection index (%)	reflection index (%)
Ag98.0Au2.0	87.3	92.2
Ag97.0Au3.0	86.1	91.3
Ag99.8Au0.1Cu0.1	98.2	98.8
Ag99.4Au0.5Cu0.1	98.1	98.5
Ag98.1Au0.9Cu1.0	97.6	98.0
Ag98.9Au1.0Cu0.1	96.5	97.6
Ag97.9Au2.0Cu0.1	95.2	96.9
Ag96.9Au3.0Cu0.1	93.7	96.1
Ag96.5Au3.0Cu0.5	91.1	94.7

	0.5.0	01.0
Ag94.0Au3.0Cu3.0	85.6	91.8
Ag99.8Au0.1Ti0.1	98.0	98.5
Ag99.4Au0.5Ti0.1	97.8	98.2
Ag98.1Au0.9Ti1.0	97.3	97.9
Ag98.9Au1.0Ti0.1	96.6	97.5
Ag97.9Au2.0Ti0.1	95.5	97.1
Ag96.9Au3.0Ti0.1	93.9	96.3
Ag96.5Au3.0Ti0.5	92.3	95.2
Ag94.0Au3.0Ti3.0	86.4	90.8
Ag99.8Au0.1Cr0.1	94.6	94.7
Ag98.4Au0.1Cr1.5	93.4	93.6
Ag96.9Au0.1Cr3.0	91.9	92.4
Ag98.4Au1.5Cr0.1	90.2	90.7
Ag97.0Au1.5Cr1.5	88.5	89.3
Ag95.5Au1.5Cr3.0	86.1	86.6
Ag96.9Au3.0Cr0.1	84.9	85.2
Ag95.5Au3.0Cr1.5	83.4	83.8
Ag94.0Au3.0Cr3.0	82.6	82.6
Ag99.8Au0.1Ta0.1	95.1	95.3
Ag98.4Au0.1Ta1.5	94.6	95.0
Ag96.9Au0.1Ta3.0	93.4	94.1
Ag98.6Au1.5Ta0.1	91.8	92.5
Ag97.0Au1.5Ta1.5	90.4	91.2
Ag95.5Au1.5Ta3.0	88.7	89.9
Ag96.9Au3.0Ta0.1	85.9	87.6
Ag95.5Au3.0Ta1.5	84.5	85.9
Ag94.0Au3.0Ta3.0	82.8	84.2
Ag99.8Au0.1Mo0.1	94.8	95.1
Ag98.4Au0.1Mo1.5	94.2	94.7
Ag96.9Au0.1Mo3.0	93.5	94.0
Ag98.4Au1.5Mo0.1	92.3	92.9 91.5
Ag97.0Au1.5Mo1.5	90.6	90.3
Ag95.5Au1.5Mo3.0	89.7	88.6
Ag96.9Au3.0Mo0.1	86.8	86.4
Ag95.5Au3.0Mo1.5	84.6	84.5
Ag94.0Au3.0Mo3.0	82.7	95.9
Ag99.8Au0.1Ni0.1	95.7 95.2	95.4
Ag98.4Au0.1Ni1.5	93.9	94.6
Ag96.9Au0.1Ni3.0		93.5
Ag98.4Au1.5Ni0.1	92.3	91.9
Ag97.0Au1.5Ni1.5	90.8	90.6
Ag95.5Au1.5Ni3.0		88.8
Ag96.9Au3.0Ni0.1	85.9 84.4	86.1
Ag95.5Au3.0Ni1.5		84.5
Ag94.0Au3.0Ni3.0	82.6	98.6
Ag99.8Au0.1Al0.1	98.0	98.3
Ag98.4Au0.1Al1.5	97.9	98.0
Ag96.9Au0.1Al3.0	97.5	97.5
Ag98.4Au1.5Al0.1	96.4	96.7
Ag97.0Au1.5Al1.5	95.2	95.8
Ag95.5Au1.5Al3.0	93.4	
Ag96.9Au3.0Al0.1	90.8	94.4

88.4	92.8
85.9	91.5
94.8	95.1
94.3	94.7
	94.1
	92.6
	91.3
	90.1
	87.8
	85.7
	84.5

AgRuX

Table 4 Continued

AgKuX	Table 4 Continued	
Material composition (wt%)	500mm wavelength	800mm wavelength
	reflection index (%)	reflection index
	10200000	(%)
Ag98.0Ru2.0	86.3	91.2
Ag97.0Ru3.0	86.0	91.3
Ag99.8Ru0.1Cu0.1	98.1	98.8
Ag99.4Ru0.5Cu0.1	98.0	98.6
Ag98.1Ru0.9Cu1.0	97.6	98.1
Ag98.9Ru1.0Cu0.1	96.5	97.5
Ag97.9Ru2.0Cu0.1	95.2	96.8
Ag96.9Ru3.0Cu0.1	93.7	96.0
Ag96.5Ru3.0Cu0.5	91.1	94.7
Ag94.0Ru3.0Cu3.0	85.6	91.7
Ag99.8Ru0.1Ti0.1	98.0	98.4
Ag99.4Ru0.5Ti0.1	97.7	98.2
Ag98.1Ru0.9Ti1.0	97.2	97.9
Ag98.9Ru1.0Ti0.1	96.5	97.5
Ag97.9Ru2.0Ti0.1	95.4	97.1
Ag96.9Ru3.0Ti0.1	93.8	96.3
Ag96.5Ru3.0Ti0.5	92.1	95.2
Ag94.0Ru3.0Ti3.0	86.4	90.8
Ag99.8Ru0.1Cr0.1	94.6	94.7
Ag98.4Ru0.1Cr1.5	93.4	92.6
Ag96.9Ru0.1Cr3.0	91.9	92.4
Ag98.4Ru1.5Cr0.1	90.5	91.7
Ag97.0Ru1.5Cr1.5	88.2	88.3
Ag95.5Ru1.5Cr3.0	86.1	86.6
Ag96.9Ru3.0Cr0.1	84.8	84.2
Ag95.5Ru3.0Cr1.5	83.3	83.8
Ag94.0Ru3.0Cr3.0	82.4	82.6
Ag99.8Ru0.1Ta0.1	95.0	95.3
Ag98.4Ru0.1Ta1.5	94.6	95.0
Ag96.9Ru0.1Ta3.0	93.4	94.1
Ag98.4Ru1.5Ta0.1	91.8	92.5
Ag97.0Ru1.5Ta1.5	90.4	91.2
Ag95.5Ru1.5Ta3.0	88.7	89.9
	85.9	87.6
Ag96.9Ru3.0Ta0.1		

	84.5	85.9
Ag95.5Ru3.0Ta1.5	82.6	84.2
Ag94.0Ru3.0Ta3.0	94.7	95.1
Ag99.8Ru0.1Mo0.1	94.1	94.7
Ag98.4Ru0.1Mo1.5		94.0
Ag96.9Ru0.1Mo3.0	93.3	92.9
Ag98.4Ru1.5Mo0.1	92.2	91.5
Ag97.0Ru1.5Mo1.5	90.5	
Ag95.5Ru1.5Mo3.0	89.9	91.3
Ag96.9Ru3.0Mo0.1	86.8	88.6
Ag95.5Ru3.0Mo1.5	84.8	86.3
Ag94.0Ru3.0Mo3.0	82.6	84.5
Ag99.8Ru0.1Ni0.1	96.7	97.2
Ag98.4Ru0.1Ni1.5	96.5	96.9
Ag96.9Ru0.1Ni3.0	96.1	96.3
Ag98.4Ru1.5Ni0.1	95.3	95.8
Ag97.0Ru1.5Ni1.5	93.7	94.7
Ag95.5Ru1.5Ni3.0	91.2	93.3
Ag96.9Ru3,0Ni0.1	88.4	91.7
Ag95.5Ru3.0Ni1.5	85.0	87.2
Ag94.0Ru3.0Ni3.0	83.5	85.6
Ag99.8Ru0.1Al0.1	98.0	98.4
Ag98.4Ru0.1Al1.5	97.9	98.2
Ag96.9Ru0.1Al3.0	97.5	98.1
Ag98.4Ru1.5Al0.1	96.4	97.5
Ag97.0Ru1.5Al1.5	95.2	96.5
Ag95.5Ru1.5Al3.0	93.4	95.8
Ag96.9Ru3.0Al0.1	90.8	94.4
Ag95.5Ru3.0Al1.5	88.4	92.7
Ag94.0Ru3.0Al3.0	85.4	91.5
Ag99.8Ru0.1/Nb0.1	94.7	95.2
Ag98.4Ru0.1Nb1.5	94.3	94.7
Ag96.9Ru0.1Nb3.0	93.4	94.1
Ag98.4Ru1.5Nb0.1	92.1	92.5
Ag97.0Ru1.5Nb1.5	90.2	91.3
Ag95.5Ru1.5Nb3.0	88.1	90.0
Ag96.9Ru3.0Nb0.1	85.2	87.8
Ag95.5Ru3.0Nb1.5	84.1	85.7
Ag94.0Ru3.0Nb3.0	82.4	84.5

[0070] Thus, it was revealed that the Ag-alloy layers of the
present invention were very useful as reflectors or
reflective wiring electrodes for reflection-type liquid
crystal display devices.

Example 3

[0071] In this Example, the utility of the ternary Ag-alloy

layer as infrared-ray or heat-ray reflecting layers for building glass was studied. Further, the adaptability of the ternary layer to a resin substrate under high temperature and high humidity conditions was studied.

5

[0072] The tests on weather resistance under high temperature and high humidity conditions were carried out with regard to the ternary Ag-alloy layers, compared with binary Ag-alloy layers including Ag-Pd alloy layers, Ag-Au alloy layers and Ag-Ru alloy layers. The ternary Ag-alloy layers were deposited on all kinds of substrates (substrates made of non-alkali glass, low-alkali glass, borosilicate glass, and quartz glass) by ternary simultaneous sputtering. The change of the Ag-alloy layers was examined over time in an atmosphere of 90 ℃ and 90 % humidity.

with regard to monolayers of the ternary reflecting layers and laminates of the base film and the ternary reflecting layer. For the monolayers, the ternary reflecting layer was directly deposited on the substrate. For the laminates, the base film such ITO, ZnO₂, ZnO₂-Al₂O₃ composite oxide and SiO₂ was deposited on the substrate and then the Ag-alloy reflecting layer was deposited on the base film. The difference between the monolayers and the laminates was also evaluated.

30 [0074] The results showed that both the monolayers of the ternary reflecting layer and the laminates of the base film and the Ag-alloy reflecting layer have higher weather resistance than the monolayers of the binary reflecting layers. The ternary reflecting layers maintained heat resistance, reflection index, and weather resistance,

10

15

20

independent of the base film. It was confirmed that the ternary reflecting layers of the present invention were more useful than the conventional binary reflecting layer as infrared-ray or heat-ray reflecting layers for building glass such as windowpanes (data not shown).

[0075] Widely used conventional reflecting layers made of Al, an Al alloy, Ag, an Ag-Pd alloy react with a resin substrate at the adhesive interface when kept under high temperature and high humidity conditions. The following tests were conducted on the chemical stability of the reflecting layers of the present invention against the resin substrates under high temperature and high humidity conditions.

[10076] To confirm the chemical stability of the ternary
reflecting layers of the present invention, the
reflecting layers were deposited at a thickness of 15nm
on the resin layer of PMMA, PET, PC, silicone, and the
like by ternary simultaneous sputtering. The layers
were kept under high temperature and high humidity
conditions for 24 hours. The change in appearance and
reflection characteristics over time was examined.

25

Table 5

Material	Results of high temperature and high humidity tests			
composition (wt%)	Change in chemical Visual change to a dull whi			
,	characteristics (decrease in	color, detachment from the		
	reflection index)	substrate		
Ag98.0Pd2.0	many black stains	detachment occured		
Ag97.0Pd3.0	moderate black stains	detachment occured		
Ag99.8Pd0.1Cu0.1	no change	less color change		
Ag99.4Pd0.5Cu0.1	no change	no change		

Ag98.1Pd0.9Cu1.0	no change	no change	
Ag98.9Pd1.0Cu0.1	no change	no change	
Ag97.9Pd2.0Cu0.1	no change	no change	
Ag96.9Pd3.0Cu0.1	no change	no change	
Ag96.5Pd3.0Cu0.5	no change	no change	
Ag94.0Pd3.0Cu3.0	no change	no change	
Ag99.4Pd0.1Ti0.1	no change	no change	
Ag99.4Pd0.5Ti0.1	no change	no change	
Ag98.1Pd0.9Ti1.0	no change	no change	
Ag98.9Pd1.0Ti0.1	no change	no change	
Ag97.9Pd2.0Ti0.1	no change	no change	
Ag96.9Pd3.0Ti0.1	no change	no change	
Ag96.5Pd3.0Ti0.5	no change	no change	
Ag94.0Pd3.0Ti3.0	no change	no change	
Ag99.8Pd0.1Au0.1	no change	no change	
Ag98.4Pd0.1Au1.5	no change	no change	
Ag96.9Pd0.1Au3.0	no change	no change	
Ag98.4Pd1.5Au0.1	no change	no change	
Ag97.0Pd1.5Au1.5	no change	no change	
Ag95.5Pd1.5Au3.0	no change	no change	
Ag96.9Pd3.0Au0.1	no change	no change	
Ag95.5Pd3.0Au1.5	no change	no change	
Ag94.0Pd3.0Au3.0	no change	no change	
Ag99.8Pd0.1Cr0.1	no change	no change	
Ag98.4Pd0.1Cr1.5	no change	no change	
Ag96.9Pd0.1Cr3.0	no change	no change	
Ag98.4Pd1.5Cr0.1	no change	no change	
Ag97.0Pd1.5Cr1.5	no change	no change	
Ag95.5Pd1.5Cr3.0	no change	no change	
Ag96.9Pd3.0Cr0.1	no change	no change	
Ag95.5Pd3.0Cr1.5	no change	no change	
Ag94.0Pd3.0Cr3.0	no change	no change	
Ag99.8Pd0.1Ta0.1	no change	no change	
Ag98.4Pd0.1Ta1.5	no change	no change	
Ag96.9Pd0.1Ta3.0	no change	no change	

Ag98.4Pd1.5Ta0.1	no change	no change
Ag97.0Pd1.5Ta1.5	no change	no change
Ag95.5Pd1.5Ta3.0	no change	no change
Ag96.9Pd3.0Ta0.1	no change	no change
Ag95.5Pd3.0Ta1.5	no change	no change
Ag94.0Pd3.0Ta3.0	no change	no change
Ag99.8Pd0.1Mo0.1	no change	no change
Ag98.4Pd0.1Mo1.5	no change	no change
Ag96.9Pd0.1Mo3.0	no change	no change
Ag98.4Pd1.5Mo0.1	no change	no change
Ag97.0Pd1.5Mo1.5	no change	no change
Ag95.5Pd1.5Mo3.0	no change	no change
Ag96.9Pd3.0Mo0.1	no change	no change
Ag95.5Pd3.0Mo1.5	no change	no change
Ag94.0Pd3.0Mo3.0	no change	no change
Ag98.4Pd0.1Ni0.1	no change	no change
Ag98.4Pd0.1Ni1.5	no change	no change
Ag96.9Pd0.1Ni3.0	no change	no change
Ag98.4Pd1.5Ni0.1	no change	no change
Ag97.0Pd1.5Ni1.5	no change	no change
Ag95.5Pd1.5Ni3.0	no change	no change
Ag96.9Pd3.0Ni0.1	no change	no change
Ag95.5Pd3.0Ni1.5	no change	no change
Ag94.0Pd3.0Ni3.0	no change	no change
Ag99.8Pd0.1Al0.1	no change	no change
Ag98.4Pd0.1Al1.5	no change	no change
Ag96.9Pd0.1Al3.0	no change	no change
Ag98.4Pd1.5Al0.1	no change	no change
Ag97.0Pd1.5Al1.5	no change	no change
Ag95.5Pd1.5Al3.0	no change	no change
Ag96.9Pd3.0Al0.1	no change	no change
Ag95.5Pd3.0Al1.5	no change	no change
Ag94.0Pd3.0Al3.0	no change	no change
Ag99.8Pd0.1Nb0.1	no change	no change
Ag98.4Pd0.1Nb1.5	no change	no change

Ag96.9Pd0.1Nb3.0	no change	no change	
Ag98.4Pd1.5Nb0.1	no change	no change	
Ag97.0Pd1.5Nb1.5	no change	no change	
Ag95.5Pd1.5Nb3.0	no change	no change	
Ag96.9Pd3.0Nb0.1	no change	no change	
Ag95.5Pd3.0Nb1.5	no change	no change	
Ag94.0Pd3.0Nb3.0	no change	no change	
Ag99.8Ru0.1Au0.1	no change	no change	
Ag98.4Ru0.1Au1.5	no change	no change	
Ag96.9Ru0.1Au3.0	no change	no change	
Ag98.4Ru1.5Au0.1	no change	no change	
Ag97.0Ru1.5Au1.5	no change	no change	
Ag95.5Ru1.5Au3.0	no change	no change	
Ag96.9Ru3.0Au0.1	no change	no change	
Ag95.5Ru3.0Au1.5	no change	no change	
Ag94.0Ru3.0Au3.0	no change	no change	
Ag99.8Pd0.1Ru0.1	no change	no change	
Ag98.4Pd0.1Ru1.5	no change	no change	
Ag96.9Pd0.1Ru3.0	no change	no change	
Ag98.4Pd1.5Ru0.1	no change	no change	
Ag97.0Pd1.5Ru1.5	no change	no change	
Ag95.5Pd1.5Ru3.0	no change	no change	
Ag96.9Pd3.0Ru0.1	no change	no change	
Ag95.5Pd3.0Ru1.5	no change	no change	
Ag94.0Pd3.0Ru3.0	no change	no change	

AgAuX

Table 5 Continued

Material	Results of high temperature and high humidity tests		
composition (wt%)	Change in chemical characteristics (decrease in reflection index)	Visual change to a dull white color, detachment from the substrate	
Ag98.0Au2.0	many black stains	detachment occured	
Ag97.0Au3.0	moderate black stains	detachment occured	

Ag99.8Au0.1Cu0.1	no change	no change		
Ag99.4Au0.5Cu0.1	no change	no change		
Ag98.1Au0.9Cu1.0	no change	no change		
Ag98.9Au1.0Cu0.1	no change	no change		
Ag97.9Au2.0Cu0.1	no change	no change		
Ag96.9Au3.0Cu0.1	no change	no change		
Ag96.5Au3.0Cu0.5	no change	no change		
Ag94.0Au3.0Cu3.0	no change	no change		
Ag99.8Au0.1Ti0.1	no change	no change		
Ag99.4Au0.5Ti0.1	no change	no change		
Ag98.1Au0.9Ti1.0	no change	no change		
Ag98.9Au1.0Ti0.1	no change	no change		
Ag97.9Au2.0Ti0.1	no change	no change		
Ag96.9Au3.0Ti0.1	no change	no change		
Ag96.5Au3.0Ti0.5	no change	no change		
Ag94.0Au3.0Ti3.0	no change	no change		
Ag99.8Au0.1Cr0.1	no change	no change		
Ag98.4Au0.1Cr1.5	no change	no change		
Ag96.9Au0.1Cr3.0	no change	no change		
Ag98.4Au1.5Cr0.1	no change	no change		
Ag97.0Au1.5Cr1.5	no change	no change		
Ag95.5Au1.5Cr3.0	no change	no change		
Ag96.9Au3.0Cr0.1	no change	no change		
Ag95.5Au3.0Cr1.5	no change	no change		
Ag94.0Au3.0Cr3.0	no change	no change		
Ag99.8Au0.1Ta0.1	no change	no change		
Ag98.4Au0.1Ta1.5	no change	no change		
Ag96.9Au0.1Ta3.0	no change	no change		
Ag98.6Au1.5Ta0.1	no change	no change		
Ag97.0Au1.5Ta1.5	no change	no change		
Ag95.5Au1.5Ta3.0	no change	no change		
Ag96.9Au3.0Ta0.1	no change	no change		
Ag95.5Au3.0Ta1.5	no change	no change		
Ag94.0Au3.0Ta3.0	no change	no change		

Ag99.8Au0.1Mol.5 no change no change Ag98.4Au0.1Mol.5 no change no change Ag96.9Au0.1Mol.0 no change no change Ag97.0Au1.5Mol.5 no change no change Ag97.5Au1.5Mol.5 no change no change Ag96.9Au3.0Mol.5 no change no change Ag98.5Au3.0Mol.5 no change no change Ag99.8Au0.1Nil.1 no change no change Ag98.4Au0.1Nil.5 no change no change Ag98.4Au0.1Nil.5 no change no change Ag98.4Au1.5Nil.1 no change no change Ag98.4Au1.5Nil.0 no change no change Ag98.4Au1.5Nil.5 no change no change Ag98.4Au1.5Nil.5 no change no change Ag98.4Au1.5Nil.5 no change no change Ag99.5Au1.5Nil.5 no change no change Ag96.9Au3.0Nil.5 no change no change Ag99.5Au1.5Nil.5 no change no change Ag99.8Au0.1All.0.1 no change no change				
Ag96.9Au0.1Mo3.0 no change no change Ag98.4Au1.5Mo0.1 no change no change Ag97.0Au1.5Mo1.5 no change no change Ag95.5Au1.5Mo3.0 no change no change Ag96.9Au3.0Mo0.1 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag99.5.Au3.0Ni1.5 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change	Ag99.8Au0.1Mo0.1	no change	no change	
Ag98.4Au1.5Mo0.1 no change no change Ag97.0Au1.5Mo1.5 no change no change Ag95.5Au1.5Mo3.0 no change no change Ag96.9Au3.0Mo0.1 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag98.4Au1.5Ni0.1 no change no change Ag98.4Au1.5Ni0.1 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag95.5Au3.0Ni1.5 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag98.4Au1.5Al0.1 no change no change Ag98.9Au0.1Al3.0 no change no change	Ag98.4Au0.1Mo1.5	no change	no change	
Ag97.0Au1.5Mo1.5 no change no change Ag95.5Au1.5Mo3.0 no change no change Ag96.9Au3.0Mo0.1 no change no change Ag95.5Au3.0Mo1.5 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag98.9Au0.1Ni3.0 no change no change Ag98.4Au1.5Ni0.1 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.0Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag96.9Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag99.9Au3.0Al1.5 no change no change	Ag96.9Au0.1Mo3.0	no change	no change	
Ag95.5Au1.5Mo3.0 no change no change Ag96.9Au3.0Mo0.1 no change no change Ag95.5Au3.0Mo1.5 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag98.4Au0.1All.1 no change no change Ag98.4Au0.1All.5 no change no change Ag97.0Au1.5All.5 no change no change Ag96.9Au3.1All.5 no change no change	Ag98.4Au1.5Mo0.1	no change	no change	
Ag96.9Au3.0Mo0.1 no change no change Ag95.5Au3.0Mo1.5 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag97.5Au3.0Ni1.5 no change no change Ag99.8Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change	Ag97.0Au1.5Mo1.5	no change	no change	
Ag95.5Au3.0Mol.5 no change no change Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag99.5Au3.0Ni1.5 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag99.Au3.1Al3.0 no change no change Ag99.Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag99.Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change	Ag95.5Au1.5Mo3.0	no change	no change	
Ag94.0Au3.0Mo3.0 no change no change Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag99.5Au0.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.9Au0.1Al3.0 no change no change Ag99.9Au0.1Al3.0 no change no change Ag99.9Au0.1Al3.0 no change no change Ag99.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag99.5Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change	Ag96.9Au3.0Mo0.1	no change	no change	
Ag99.8Au0.1Ni0.1 no change no change Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag97.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al1.5 no change no change Ag99.5.5Au3.0Al1.5 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change	Ag95.5Au3.0Mo1.5	no change	no change	
Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag98.4Au1.5Ni0.1 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au1.5Al0.1 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag97.0Au1.5Al1.5 no change no change Ag97.5Au3.0Al1.5 no change no change Ag96.9Au3.0Al0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag96.9Au0.1Nb0.1 no change no change	Ag94.0Au3.0Mo3.0	no change	no change	
Ag98.4Au0.1Ni1.5 no change no change Ag96.9Au0.1Ni3.0 no change no change Ag98.4Au1.5Ni0.1 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag95.5Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag99.8Au0.1Al0.1 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag97.0Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag96.9Au0.1Nb0.1 no change no change	Ag99.8Au0.1Ni0.1	no change	no change	
Ag98.4Au1.5Ni0.1 no change no change Ag97.0Au1.5Ni1.5 no change no change Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag96.9Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag98.4Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag98.4Au0.1Nb0.1 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag99.5Au1.5Nb3.0 no change no change		no change	no change	
Ag97.0Au1.5Ni1.5 no change no change Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag95.5Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag97.0Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al3.0 no change no change Ag98.4Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb0.1 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag99.8Au1.5Nb0.1 no change no change Ag99.5Au1.5Nb3.0 no change no change	Ag96.9Au0.1Ni3.0	no change	no change	
Ag95.5Au1.5Ni3.0 no change no change Ag96.9Au3.0Ni0.1 no change no change Ag95.5Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag98.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag98.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag96.9Au3.0Nb0.1 no change no change		no change	no change	
Ag96.9Au3.0Ni0.1 no change no change Ag95.5Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag98.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag98.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag96.9Au3.0Nb0.1 no change no change	Ag97.0Au1.5Ni1.5	no change	no change	
Ag95.5Au3.0Ni1.5 no change no change Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag97.0Au1.5Al1.5 no change no change Ag97.0Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag96.9Au3.0Al0.1 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag96.9Au3.0Nb0.1 no change no change	Ag95.5Au1.5Ni3.0	no change	no change	
Ag94.0Au3.0Ni3.0 no change no change Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag96.9Au3.0Nb0.1 no change no change	Ag96.9Au3.0Ni0.1	no change	no change	
Ag99.8Au0.1Al0.1 no change no change Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag95.5Au3.0Ni1.5	no change	no change	
Ag98.4Au0.1Al1.5 no change no change Ag96.9Au0.1Al3.0 no change no change Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb0.1 no change no change	Ag94.0Au3.0Ni3.0	no change	no change	
Ag96.9Au0.1Al3.0 no change no change Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb0.5 no change no change	Ag99.8Au0.1Al0.1	no change	no change	
Ag98.4Au1.5Al0.1 no change no change Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb0.15 no change no change	Ag98.4Au0.1Al1.5	no change	no change	
Ag97.0Au1.5Al1.5 no change no change Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag96.9Au0.1Al3.0	no change	no change	
Ag95.5Au1.5Al3.0 no change no change Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag98.4Au1.5Al0.1	no change	no change	
Ag96.9Au3.0Al0.1 no change no change Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag97.0Au1.5Al1.5	no change	no change	
Ag95.5Au3.0Al1.5 no change no change Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag95.5Au1.5Al3.0	no change	no change	
Ag94.0Au3.0Al3.0 no change no change Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag96.9Au3.0Al0.1	no change	no change	
Ag99.8Au0.1Nb0.1 no change no change Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag95.5Au3.0Al1.5	no change	no change	
Ag98.4Au0.1Nb1.5 no change no change Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag94.0Au3.0Al3.0	no change	no change	
Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag99.8Au0.1Nb0.1	no change	no change	
Ag96.9Au0.1Nb3.0 no change no change Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change	Ag98.4Au0.1Nb1.5	no change	no change	
Ag98.4Au1.5Nb0.1 no change no change Ag97.0Au1.5Nb1.5 no change no change Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change		no change	no change	
Ag95.5Au1.5Nb3.0 no change no change Ag96.9Au3.0Nb0.1 no change no change Ag95.5Au3.0Nb1.5 no change no change		no change	no change	
Ag95.5Au1.5Nb3.0no changeno changeAg96.9Au3.0Nb0.1no changeno changeAg95.5Au3.0Nb1.5no changeno change	Ag97.0Au1.5Nb1.5	no change	no change	
Ag95.5Au3.0Nb1.5 no change no change		no change	no change	
Ag95.5Au3.0Nb1.5 no change no change	Ag96.9Au3.0Nb0.1	no change	no change	
		no change	no change	
•• • • • • • • • •	Ag94.0Au3.0Nb3.0	no change	no change	

AgRuX

Table 5 Continued

Material	Results of high temperature and high humidity tests		
composition (wt%)	Change in chemical Visual change to a dull		
composition (with)	characteristics (decrease in white color, detach		
	reflection index)	from the substrate	
Ag98.0Ru2.0	many black stains	detachment occured	
Ag97.0Ru3.0	moderate black stains	detachment occured	
Ag99.8Ru0.1Cu0.1	no change	no change	
Ag99.4Ru0.5Cu0.1	no change	no change	
Ag98.1Ru0.9Cu1.0	no change	no change	
Ag98.9Ru1.0Cu0.1	no change	no change	
Ag97.9Ru2.0Cu0.1	no change	no change	
Ag96.9Ru3.0Cu0.1	no change	no change	
Ag96.5Ru3.0Cu0.5	no change	no change	
Ag94.0Ru3.0Cu3.0	no change	no change	
Ag99.8Ru0.1Ti0.1	no change	no change	
Ag99.4Ru0.5Ti0.1	no change	no change	
Ag98.1Ru0.9Ti1.0	no change	no change	
Ag98.9Ru1.0Ti0.1	no change	no change	
Ag97.9Ru2.0Ti0.1	no change	no change	
Ag96.9Ru3.0Ti0.1	no change	no change	
Ag96.5Ru3.0Ti0.5	no change	no change	
Ag94.0Ru3.0Ti3.0	no change	no change	
Ag99.8Ru0.1Cr0.1	no change	no change	
Ag98.4Ru0.1Cr1.5	no change	no change	
Ag96.9Ru0.1Cr3.0	no change	no change	
Ag98.4Ru1.5Cr0.1	no change	no change	
Ag97.0Ru1.5Cr1.5	no_change	no change	
Ag95.5Ru1.5Cr3.0	no change	no change	
Ag96.9Ru3.0Cr0.1	no change	no change	
Ag95.5Ru3.0Cr1.5	no change	no change	
Ag94.0Ru3.0Cr3.0	no change	no change	
Ag99.8Ru0.1Ta0.1	no change	no change	
Ag98.4Ru0.1Ta1.5	no change	no change	

Ag96.9Ru0.1Ta3.0	no change	no change	
Ag98.4Ru1.5Ta0.1	no change	no change	
Ag97.0Ru1.5Ta1.5	no change	no change	
Ag95.5Ru1.5Ta3.0	no change	no change	
Ag96.9Ru3.0Ta0.1	no change	no change	
Ag95.5Ru3.0Ta1.5	no change	no change	
Ag94.0Ru3.0Ta3.0	no change	no change	
Ag99.8Ru0.1Mo0.1	no change	no change	
Ag98.4Ru0.1Mo1.5	no change	no change	
Ag96.9Ru0.1Mo3.0	no change	no change	
Ag98.4Ru1.5Mo0.1	no change	no change	
Ag97.0Ru1.5Mo1.5	no change	no change	
Ag95.5Ru1.5Mo3.0	no change	no change	
Ag96.9Ru3.0Mo0.1	no change	no change	
Ag95.5Ru3.0Mo1.5	no change	no change	
Ag94.0Ru3.0Mo3.0	no change	no change	
Ag99.8Ru0.1Ni0.1	no change	no change	
Ag98.4Ru0.1Ni1.5	no change	no change	
Ag96.9Ru0.1Ni3.0	no change	no change	
Ag98.4Ru1.5Ni0.1	no change	no change	
Ag97.0Ru1.5Ni1.5	no change	no change	
Ag95.5Ru1.5Ni3.0	no change	no change	
Ag96.9Ru3.0Ni0.1	no change	no change	
Ag95.5Ru3.0Ni1.5	no change	no change	
Ag94.0Ru3.0Ni3.0	no change	no change	
Ag99.8Ru0.1Al0.1	no change	no change	
Ag98.4Ru0.1Al1.5	no change	no change	
Ag96.9Ru0.1Al3.0	no change	no change	
Ag98.4Ru1.5Al0.1	no change	no change	
Ag97.0Ru1.5Al1.5	no change	no change	
Ag95.5Ru1.5Al3.0	no change	no change	
Ag96.9Ru3.0Al0.1	no change	no change	
Ag95.5Ru3.0Al1.5	no change	no change	
Ag94.0Ru3.0Al3.0	no change	no change	

10

1.5

Ag99.8Ru0.1Nb0.1	no change	no change
Ag98.4Ru0.1Nb1.5	no change	no change
Ag96.9Ru0.1Nb3.0	no change	no change
Ag98.4Ru1.5Nb0.1	no change	no change
Ag97.0Ru1.5Nb1.5	no change	no change
Ag95.5Ru1.5Nb3.0	no change	no change
Ag96.9Ru3.0Nb0.1	no change	no change
Ag95.5Ru3.0Nb1.5	no change	no change
Ag94.0Ru3.0Nb3.0	no change	no change

[0077] As shown in Table 5, no change was observed with the ternary Ag-alloy reflecting layers after 24 hours. When the reflection index of the ternary reflecting layer on the various resin substrates was measured by a spectrophotometer, no decrease in reflection index was observed at the optical wavelength of 565 nm, which is useful for reflection-type liquid crystal display devices, and in the optical wavelength regions from 400nm to 4μ m, which is required for building glass (data not shown).

[0078] The ternary reflecting layers of the present invention proved to have high chemical stability against resin and to be not limited to a particular substrate material unlike conventional layers.

Example 4

[0079] Adhesion between the ternary reflecting layers of the present invention and various substrates and the effect of the base film, which was placed between the reflecting layer and the substrate, on the adhesion were examined.

[0080] Firstly, the reflecting layers were deposited
directly on the substrates of PMMA, PET, PC, silicone,
acrylic resin, non-alkali glass, low-alkali glass,
borosilicate glass, and quartz glass by RF sputtering to

form a laminate. A JIS (Japanese Industrial Standard) cellophane tape was attached to the reflecting layer. The detachment of the reflecting layer from the substrate when the tape was stripped of at given tension was observed. In addion, the laminate was diced with a cutter and dipped in pure water in a beaker. Ultrasonic waves were applied to the pure water. The frequency of the ultrasonic waves was 50KHz and the electric power was 100W. After the application of the ultrasonic waves, detachment of the reflecting layer was observed under a x40 microscope and the necessity of the base film was examined.

[0081] No detachment was observed with PMMA, PET, PC, silicone, and acrylic resin. The reflecting layer of the present invention was much more adhesive to the resin substrates compared with conventional layers of Al, Al alloy, Ag, or Ag alloy.

[0082]On the other hand, partially or extensive detachment was observed with non-alkali glass, low-alkali glass, borosilicate glass, and quartz glass. The reflecting layer of the present invention had poor adhesion to the glass substrates although the degree of detachment is different in cases (data not shown).

25

30

35

20

10

[0083] Secondarily, to improve adhesion of the reflecting layer to the glass substrate or to attain high reflecting performance without impairing the reflection index of the reflecting layer, the base film-of-Si, Ta, Ti, Mo, Cr, Al, ITO, ZnO₂, SiO₂, TiO₂, Ta₂O₅, ZrO₂, In₂O₃, SnO₂, Nb₂O₅, or MgO was applied to the substrates of PMMA, PET, PC, silicone, acrylic resin, non-alkali glass, low-alkali glass, borosilicate glass, and quartz glass by RF sputtering. Then the ternary reflecting layer of the present invention was deposited on the base film by RF sputtering to form a

laminate. A strip of JIS cellophane tape was attached to the uppermost layer. The detachment of the reflecting layer from the substrate when the tape was stripped of at given tension was observed as described above. In addition, the laminate was diced with a cutter and dipped in pure water in a beaker. Ultrasonic waves were applied to the pure water. The frequency of the ultrasonic waves was 50KHz and the electric power was 100W. After the application of the ultrasonic waves, detachment of the reflecting layer was observed under a x40 microscope and the effect of the base film was examined.

[0084] As shown in Table 6, when the base film was used, no detachment was observed whether the reflecting layer was pure Ag or an Ag alloy. The reflection index of the reflecting layer used in the tests was measured by a spectrophotometer. Table 7 showed that not only the adhesion but also the reflection index were improved when a specific base film $(TiO_2-Nb_2O_5)$ was used.

20

5

10

15

Table 6

,				
Material	Detachment tests			
of base film	5min	10min	15min	20min
In2O ₃	no detachment	no detachment	no detachment	no detachment
SnO_2	no detachment	no detachment	no detachment	no detachment
	no detachment	no detachment	no detachment	no detachment
Nb ₂ O ₅	no detachment	no detachment	no detachment	no detachment
MgO	no detachment	no detachment	no detachment	no detachment
ITO	no detachment	no detachment	no detachment	no detachment
ZnO ₂	no detachment	no detachment	no detachment	no detachment
SiO ₂	no detachment	no detachment	no detachment	no detachment
TiO ₂	no detachment	no detachment-	-no-detachment-	no detachment
Ta ₂ O ₅		no detachment	no detachment	no detachment
ZrO ₂	no detachment	no detachment	no detachment	no detachment
Si	no detachment	no detachment	no detachment	no detachment
Ta	no detachment		no detachment	no detachment
Ti	no detachment	no detachment		no detachment
Mo	no detachment	no detachment	no detachment	no detachment
Cr	no detachment	no detachment	no detachment	
Al	no detachment	no detachment	no detachment	no detachment

Table 7

Material wavelength 400.00 nm wavelength nm wavelength 500.00 nm wavelength nm wavelength 500.00 nm wavelength nm wavelength nm wavelength nm school nm school nm nm nm nm nm nm nm reflection index (%) reflection index (%)		T		wavalanath	wavalanath	wavelength
nm reflection index index index (%) reflection index	Material	wavelength	wavelength	wavelength	wavelength	_
reflection index (%) (%) (%) (%) (%) (%) (%) (%) (%) (%)		400.00			1	
index (%) (%) (%) (%) (%) (%) (%) (%) (%) (%)		nm	nm			
(%) (%) (%) (%) (%) pure Ag 94.80 96.60 97.70 97.90 98.00 AgPd 92.30 94.05 95.12 95.32 95.42 AgPdCu 91.50 92.40 93.60 94.10 93.36 AgPdTi 88.90 90.59 91.62 91.81 91.90 AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAu Sa.0u 92.80 94.56 95.64 95.83 95.93 Ag		reflection	reflection			
pure Ag 94.80 96.60 97.70 97.90 98.00 AgPd 92.30 94.05 95.12 95.32 95.42 AgPdCu 91.50 92.40 93.60 94.10 93.36 AgPdTi 88.90 90.59 91.62 91.81 91.90 AgPdTa 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43		index				1
AgPd 92.30 94.05 95.12 95.32 95.42 AgPdCu 91.50 92.40 93.60 94.10 93.36 AgPdTi 88.90 90.59 91.62 91.81 91.90 AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28		(%)	(%)			
AgPdCu 91.50 92.40 93.60 94.10 93.36 AgPdTi 88.90 90.59 91.62 91.81 91.90 AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43	pure Ag	94.80	96.60	97.70		1
AgPdTi 88.90 90.59 91.62 91.81 91.90 AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.80 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAu 92.80 94.22 95.29 95.48 95.58 AgAuCu 92.46 94.22 95.29 95.48 95.58	AgPd	92.30	94.05	i		
AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuTa 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.89 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuNo 88.10 89.77 90.80 90.98 91.07	AgPdCu	91.50	92.40	93.60	94.10	1
AgPdCr 88.40 90.08 91.11 91.29 91.38 AgPdTa 88.30 89.98 91.00 91.19 91.28 AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuMo 88.10 89.67 90.69 90.88 90.97	AgPdTi	88.90	90.59			
AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuTa 88.56 90.24 91.27 91.46 91.55 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuNo 88.10 89.77 90.80 90.98 91.07		88.40	90.08	91.11		
AgPdMo 88.00 89.67 90.69 90.88 90.97 AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuTa 88.56 90.24 91.27 91.46 91.55 AgAuNi 88.00 89.89 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuAl 88.70 90.39 91.41 91.60 91.59 AgRuAl 88.60 90.28 91.31 91.50 91.59		88.30	89.98			
AgPdNi 88.20 89.77 90.89 90.98 91.17 AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00		88.00	89.67	90.69		
AgPdAl 88.90 90.49 91.61 91.70 91.79 AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 </td <td></td> <td>88.20</td> <td></td> <td></td> <td></td> <td>1</td>		88.20				1
AgPdNb 88.80 90.38 91.51 91.60 91.79 AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuC 88.45 90.13 91.16 91.34 91.44 <td></td> <td>88.90</td> <td>90.49</td> <td></td> <td></td> <td></td>		88.90	90.49			
AgAu 92.80 94.56 95.64 95.83 95.93 AgAuCu 92.46 94.22 95.29 95.48 95.58 AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuC 88.45 90.13 91.16 91.34 91.44		88.80	90.38			
AgAuTi 88.44 90.12 91.15 91.33 91.43 AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 </td <td></td> <td>92.80</td> <td>94.56</td> <td>95.64</td> <td>95.83</td> <td></td>		92.80	94.56	95.64	95.83	
AgAuCr 88.56 90.24 91.27 91.46 91.55 AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuC 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuTa 88.76 90.45 91.48 91.66 91.76 <td>AgAuCu</td> <td>92.46</td> <td>94.22</td> <td></td> <td></td> <td></td>	AgAuCu	92.46	94.22			
AgAuTa 88.30 89.98 91.00 91.19 91.28 AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43	AgAuTi	88.44				
AgAuNi 88.00 89.67 90.69 90.88 90.97 AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63	AgAuCr	88.56	90.24			
AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97	AgAuTa	88.30	89.98	91.00	91.19	
AgAuMo 88.10 89.77 90.80 90.98 91.07 AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97	AgAuNi	88.00	89.67			
AgAuPd 89.00 90.69 91.72 91.91 92.00 AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.10	89.77	90.80		
AgAuAl 88.70 90.39 91.41 91.60 91.69 AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		89.00	90.69	91.72	91.91	
AgAuNb 88.60 90.28 91.31 91.50 91.59 AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.70	90.39	91.41		
AgRu 89.00 90.69 91.72 91.91 92.00 AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.60	90.28			
AgRuCu 88.45 90.13 91.16 91.34 91.44 AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		89.00	90.69			
AgRuTi 88.34 90.02 91.04 91.23 91.32 AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.45	90.13			
AgRuCr 88.76 90.45 91.48 91.66 91.76 AgRuTa 88.23 89.91 90.93 91.12 91.21 AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.34	1			
AgRuNi 87.80 89.47 90.49 90.67 90.76 AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97		88.76	90.45			
AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97	AgRuTa					
AgRuMo 88.44 90.12 91.15 91.33 91.43 AgRuPd 87.67 89.34 90.35 90.54 90.63 AgRuAl 88.97 90.66 91.69 91.88 91.97						
AgRual 88.97 90.66 91.69 91.88 91.97						
Agran	AgRuPd					
AgRuNb 87.98 89.65 90.67 90.86 90.95						
	AgRuNb	87.98	89.65	90.67	90.86	90.95

[0085] Particularly, the base films of TiO₂, Ta₂O₅, ZrO₂,

In₂O₃, SnO₂, Nb₂O₅, and Mg_had_high_refraction_indices

and low absorptivities, as represented by In₂O₃-Nb₂O₅ in

Table 8. Changes in optical characteristics based on the refraction index were prevented in these films.

Table 8

	In ₂ O ₃ -				
	15wt%Nb ₂	12.5wt%Nb ₂	10wt%Nb₂O	7.5wt%Nb₂	5wt%Nb2O5
	O ₅	O ₅	5	O ₅	
	refraction index	refraction index	refraction index	refraction index	refraction index
400	2.34	2.32	2.34	2.30	2.34
450	2.26	2.25	2.26	2.23	2.26
500	2.22	2.21	2.21	2.18	2.20
550	2.19	2.18	2.18	2.16	2.17
560	2.19	2.18	2.17	2.15	2.17

Example 5

10086] The effect of a coating layer on heat resistance and reflection index of the reflecting layer was examined. On the conventional Ag reflecting layers (pure Ag or binary Ag alloy) or the ternary reflecting layers of the present invention, a coating layer that includes In₂O₃ as a main component and at least one of SnO₂, Nb₂O₅, SiO₂, MgO and Ta₂O₅ was deposited to form a laminate. The laminate was annealed at the temperature 250 □, which is the temperature applied to the substrate during the manufacturing process of the liquid crystal display device.

[0087] Without a coating layer, the optical absorptivity of reflecting layer increased after annealing, which led to deterioration of the layer, as shown in Table 9.

The experimental data of optical absorptivity when the coating layer was used for heat resistance were shown in Tables 10 to 12.



without a coating layer

Material	anneal					as-depo				
,	wave-	wave-	wave-							
	length	length 550 nm	length 565 nm							
	400 nm absorp-	450 nm absorp-	500 nm absorp-	550 nm absorp-	565 nm absorp-	400 nm absorp-	450 nm absorp-	500 nm absorp-	absorp-	absorp-
}	tivity	tivity	tivity							
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
pure Ag	5.2	3.6	2.8	2.8	1.9	5	3.2	2.1	2.6	1.8
AgPd	6.4	5.5	6.3	5.5	5.1	6.0	5.2	6.1	5.4	5.0
AgPdCu	6.6	5.7	6.5	5.8	5.5	6.5	5.6	6.2	5.7	5.1
AgPdTi	6.9	5.9	6.6	5.7	5.5	6.7	5.8	6.4	5.6	5.3
AgPdCr	6.8	5.9	6.5	5.7	5.3	6.6	5.8	6.3	5.5	5.0
AgPdTa	6.6	5.8	6.6	5.8	5.3	6.4	5.5	6.3	5.6	5.0
AgPdMo	6.8	6.9	6.4	5.5	5.5	6.6	6.7	6.3	5.5	5.2
AgPdNi	6.7	5.7	6.2	5.5	5.4	6.4	5.7	5.9	5.5	5.1
AgPdAl	6.6	6.6	6.4	5.5	5.2	6.5	6.5	6.2	5.5	5.1
AgPdNb	6.7	5.8	6.3	5.7	5.1	6.5	5.7	6.3	5.4	4.9
AgAu	6.3	5.3	6.2	5.3	5.0	6.0	5.1	6.0	5.2	5.0
AgAuCu	7.4	6.7	7.2	6.2	6.2	7.1	6.5	7.0	6.1	6.0
AgAuTi	6.6	5.8	6.4	5.7	5.3	6.4	5.2	6.3	5.6	5.2
AgAuCr	6.8	5.9	6.6	5.8	5.5	6.7	5.8	6.4	5.6	5.3
AgAuTa	6.9	5.9	6.5	5.7	5.3	6.6	5.8	6.3	5.6	5.2
AgAuNi	6.8	5.9	6.3	5.7	5.4	6.5	5.8	6.1	5.6	5.2
AgAuMo	6.7	6.8	6.4	5.6	5.4	6.6	6.7	6.3	5.5	5.2
AgAuPd	7.5	6.3	7.5	6.3	6.2	7.1	6.1	7.0	6.2	6.0
AgAuAl	6.7	6.7	6.5	5.6	5.4	6.6	6.5	6.3	5.5	5.2
AgAuNb	6.8	5.9	6.4	5.7	5.2	6.6	5.8	6.3	5.5	5.0
AgRu	6.3	5.4	6.2	5.3	5.2	6.1	5.1	6.0	5.3	5.1
AgRuCu	6.8	5.9	6.4	5.7	5.2	6.4	5.5	6.3	5.6	5.0
AgRuTi	6.7	5.9	6.5	5.6	5.2	6.6	5.8	6.3	5.5	5.0
AgRuCr	6.7	5.9	6.6	5.7	5.3	6.5	5.7	6.3	5.5	5.0
AgRuTa	6.5	5.8	6.7	5.7	5.2	6.4	5.5	6.3	5.6	5.0
AgRuNi	7.3	6.6	7.5	6.3	6.3	7.1	6.4	7.0	6.1	6.0
AgRuMo	7.3	6.8	7.3	6.2	6.2	7.1	6.3	7.1	6.1	6.0
AgRuPd	6.7	6.8	6.4	5.5	5.3	6.6	6.6	6.2	5.4	5.2
AgRuAl	6.8	6.9	6.4	5.6	5.3	6.6	6.7	6.3	5.5	5.2
AgRuNb	6.8	6.9	6.3	5.6	5.4	6.5	6.6	6.1	5.5	5.2



SiO₂/Ag alloy

Material	SiO ₂ anneal						SiO ₂ as-depo				
	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	
	length	length	length	length	length	length	length	length	length	length	
	400 nm	450 nm	500 nm	550 nm	565 nm	400 nm	450 nm	500 nm	550 nm	565 nm	
	absorp-	absorp-	absorp-	absorp-	absorp-	absorp-	absorp-	absorp-	absorp-	absorp-	
	tivity (%)	tivity (%)	tivity (%)	tivity (%)	tivity (%)	tivity (%)	tivity (%)	tivity (%)□	tivity (%)	tivity (%)	
pure Ag	26.5	11.65	4.92	4.72	5.02	34.5	16.64	5.81	5.71	5.05	
AgPd	26.8	12.59	5.68	5.23	6.96	27.8	14.59	8.68	6.23	8.98	
AgPdCu	27.09	13.06	8.94	6.77	6.28	35.8	18.64	11.91	8.74	8.05	
AgPdTi	36.5	17.54	11.45	8.58	7.59	36.8	17.68	11.85	8.76	8.00	
AgPdCr	35.5	18.45	10.59	8.58	7.96	35.9	18.65	10.69	8.75	8.04	
AgPdTa	36.1	18.44	11.34	8.50	7.58	36.2	18.54	11.54	8.54	8.02	
AgPdMo	36.4	18.57	11.15	8.41	7.21	36.5	18.67	11.59	8.45	7.25	
AgPdNi	35.78	18.21	11.07	8.29	7.37	36.29	18.55	10.94	8.25	7.11	
AgPdAl	35.89	18.15	10.8	8.33	7.64	36.58	18.41	11.39	8.42	7.76	
AgPdNb	35.88	18.13	10.86	8.29	6.93	36.99	18.53	11.08	8.26	7.1	
AgAu	26.2	12.31	5.50	5.10	7.99	27.7	14.45	8.52	6.12	8.85	
AgAuCu	36.1	17.53	11.45	8.58	7.25	36.5	18.66	11.25	8.25	7.36	
AgAuTi	35.4	18.40	10.59	8.58	7.96	36.3	17.67	11.80	8.73	8.00	
AgAuCr	36.0	18.32	11.34	8.50	7.58	36.2	18.64	10.25	8.75	8.04	
AgAuTa	36.3	18.44	11.15	8.41	7.21	36.5	18.53	11.55	8.54	8.00	
AgAuNi	36.0	18.31	11.32	8.50	7.58	36.4	18.66	11.20	8.41	7.25	
AgAuMo	36.0	18.35	11.58	8.50	7.58	36.8	17.65	11.84	8.73	8.00	
AgAuPd	36.3	18.58	11.14	8.41	7.21	37.0	18.61	10.21	8.74	8.02	
AgAuAl	36.1	18.24	11.05	8.45	7.85	36.7	18.51	11.52	8.56	8.00	
AgAuNb	36.1	18.25	11.11	8.41	7.14	37.1	18.62	11.21	8.41	7.24	
AgRu	26.5	12.45	5.55	5.25	7.96	27.7	14.59	8.75	6.35	8.99	
AgRuCu	36.0	17.52	11.45	8.58	7.25	36.4	17.66	11.81	8.73	7.56	
AgRuTi	35.3	18.49	10.59	8.58	7.96	36.2	18.64	10.24	8.75	7.35	
AgRuCr	35.8	18.30	11.34	8.50	7.58	36.1	18.52	11.55	8.54	8.00	
AgRuTa	36.2	18.42	11.15	8.41	7.21	36.4	18.65	11.21	8.42	7.52	
AgRuNi	36.1	18.35	11.33	8.50	7.58	36.9	17.64	11.84	8.71	8.01	
AgRuMo	36.1	18.34	11.58	8.50	7.58	36.8	18.60	10.22	8.72	8.02	
AgRuPd	36.2	18.59	11.28	8.41	7.21	37.1	18.50	11.51	8.51	7.96	
AgRuAl	36.3	18.55	11.18	8.41	7.21	36.5	18.61	11.20	8.42	7.24	
AgRuNb	36.5	18.24	11.11	8.41	7.21	37.2	18.41	10.12	8.85	8.12	

Table 11

 $In_2O_3\text{-}15Nb_2O_5/Ag\ alloy$

Material	Hi-R an	neal				Hi-R as	-depo			
	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-
	length	length	length	length	length	length	length	length	length	length ·
	400 nm	450 nm	500 nm	550 nm	565 nm	400 nm	450 nm	500 nm	550 nm	565 nm
	absorp-	absorp- tivity	absorp- tivity	absorp-	absorp- tivity	absorp- tivity	absorp- tivity	absorp- tivity	absorp- tivity	absorp- tivity
	tivity (%)	(%)	(%)	tivity (%)	(%)	(%)	(%)	(%□	(%)	(%)
pure Ag	13.27	3.48	2.57	2.35	2.25	19.84	7.03	3.21	4.28	4.24
AgPd	15.77	5.34	3.93	3.90	3.802	22.15	8.83	4.57	5.80	5.78
AgPdCu	16.57	6.24	4.67	4.68	4.49	22.89	9.69	5.30	6.56	6.43
AgPdTi	19.17	9.16	7.64	7.65	7.47	25.29	12.51	8.25	9.47	9.35
AgPdCr	19.67	9.72	8.21	8.22	8.04	25.75	13.05	8.82	10.03	9.91
AgPdTa	19.77	9.84	8.33	8.34	8.15	25.85	13.16	8.93	10.14	10.02
AgPdMo	20.07	10.17	8.67	8.68	8.50	26.12	13.48	9.27	10.48	10.36
AgPdNi	19.85	10.07	8.42	8.47	8.31	26.01	13.37	9.01	10.33	10.22
AgPdAl	19.16	9.3	7.63	7.75	7.49	25.36	12.63	8.36	9.56	9.34
AgPdNb	19.25	9.38	7.73	7.87	7.6	25.46	12.74	8.46	9.66	9.54
AgAu	15.27	4.78	3.18	3.19	3.00	21.69	8.28	3.82	5.10	4.98
AgAuCu	15.61	5.16	3.57	3.58	3.39	22.00	8.65	4.21	5.48	5.36
AgAuTi	19.63	9.68	8.17	8.18	7.99	25.72	13.01	8.78	9.99	9.87
AgAuCr	19.51	9.54	8.03	8.04	7.86	25.61	12.88	8.64	9.85	9.73
AgAuTa	19.77	9.84	8.33	8.34	8.15	25.85	13.16	8.93	10.14	10.02
AgAuNi	20.07	10.17	8.67	8.68	8.50	26.12	13.48	9.27	10.48	10.36
AgAuMo	19.97	10.06	8.56	8.56	8.38	26.03	13.37	9.16	10.37	10.25
AgAuPd	19.07	9.05	7.53	7.54	7.35	25.20	12.40	8.14	9.36	9.24
AgAuAl	19.37	9.39	7.87	7.88	7.70	25.48	12.72	8.48	9.70	9.58
AgAuNb	19.47	9.50	7.98	7.99	7.81	25.57	12.83	8.59	9.81	9.69
AgRu	19.07	9.05	7.53	7.54	7.35	25.20	12.40	8.14	9.36	9.24
AgRuCu	19.62	9.67	8.16	8.16	7.98	25.71	12.99	8.76	9.98	9.86
AgRuTi	19.73	9.79	8.28	8.29	8.11	25.81	13.11	8.89	10.10	9.98
AgRuCr	19.31	9.32	7.80	7.81	7.63	25.42	12.66	8.41	9.63	9.51
AgRuTa	19.84	9.92	8.41	8.42	8.23	25.91	13.23	9.01	10.22	10.10
AgRuNi	20.27	10.40	8.90	8.91	8.73	26.31	13.70	9.50	10.70	10.58
AgRuMo	19.63	9.68	8.17	8.18	7.99	25.72	13.01	8.78	9.99	9.87
AgRuPd	20.40	10.55	9.05	9.06	8.88	26.43	13.84	9.65	10.85	10.73
AgRuAl	19.10	9.08	7.56	7.57	7.39	25.23	12.43	8.17	9.39	9.27
AgRuNb	20.09	10.20	8.69	8.70	8.52	26.14	13.50	9.30	10.50	10.38

Table 12

ITO/Ag alloy

11 O/Ag		ool				ITO as-d	lepo			
Material	ITO ann	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-	wave-
	length	length	length	length	length	length	length	length	length	length
	400 nm	450 nm	500 nm	550 nm	565 nm	400 nm	450 nm	500 nm	550 nm	565 nm absorp-
	absorp-	absorp-	absorp-	absorp-	absorp- tivity	absorp- tivity	absorp- tivity	absorp- tivity	absorp- tivity	tivity
	tivity (%)	tivity (%)	tivity (%)	tivity (%)	(%)	(%)	(%)	(%)	(%)	(%)
pure Ag	15.56	4.87	3.63	4.64	1.82	19.05	4.27	1.77	1.52	5.02
AgPd	18.06	7.69	6.49	7.47	4.73	21.55	7.23	4.81	4.57	7.95
AgPdCu	18.86	8.59	7.40	8.37	5.66	22.35	8.18	5.78	5.54	8.89
AgPdTi	21.46	11.52	10.37	11.31	8.68	24.95	11.26.	8.94	8.71	11.94
AgPdCr	21.96	12.09	10.94	11.87	9.27	25.45	11.85	9.54	9.31	12.53
AgPdTa	22.06	12.20	11.05	11.99	9.38	25.55	11.97	9.67	9.44	12.65
AgPdMo	22.36	12.54	11.40	12.32	9.73	25.85	12.32	10.03	9.80	13.00
AgPdNi	22.14	12.42	11.15	12.11	9.54	25.74	12.21	9.77	9.65	12.86
AgPdAl	21.45	11.66	10.37	11.4	8.64	25.04	11.4	9.07	8.83	11.96
AgPdNb	21.54	11.75	10.46	11.53	8.82	25.14	11.52	9.19	8.92	12.14
AgAu	17.56	7.13	5.92	6.90	4.15	21.05	6.64	4.20	3.96	7.36
AgAuCu	17.90	7.51	6.30	7.29	4.54	21.39	7.04	4.61	4.37	7.76
AgAuTi	21.92	12.04	10.89	11.83	9.22	25.41	11.80	9.50	9.27	12.48
AgAuCr	21.80	11.91	10.76	11.69	9.08	25.29	11.66	9.35	9.12	12.34
AgAuTa	22.06	12.20	11.05	11.99	9.38	25.55	11.97	9.67	9.44	12.65
AgAuNi	22.36	12.54	11.40	12.32	9.73	25.85	12.32	10.03	9.80	13.00
AgAuMo	22.26	12.43	11.28	12.21	9.62	25.75	12.20	9.91	9.68	12.88
AgAuPd	21.36	11.41	10.25	11.19	8.57	24.85	11.14	8.82	8.58	11.83
AgAuAl	21.66	11.75	10.60	11.53	8.92	25.15	11.49	9.18	8.95	12.18
AgAuNb	21.76	11.86	10.71	11.65	9.03	25.25	11.61	9.30	9.07	12.30
AgRu	21.36	11.41	10.25	11.19	8.57	24.85	11.14	8.82	8.58	11.83
AgRuCu	21.91	12.03	10.88	11.82	9.21	25.40	11.79	9.48	9.25	12.47
AgRuTi	22.02	12.15	11.01	11.94	9.34	25.51	11.92	9.62	9.39	12.60
AgRuCr	21.60	11.68	10.53	11.47	8.85	25.09	11.42	9.11	8.88	12.11
AgRuTa	22.13	12.28	11.13	12.06	9.46	25.62	12.05	9.75	9.52	12.73
AgRuNi	22.56	12.76	11.62	12.55	9.96	26.05	12.56	10.27	10.04	13.23
AgRuMo	21.92	12.04	10.89	11.83	9.22	25.41	11.80	9.50	9.27	12.48
AgRuPd	22.69	12.91	11.77	12.70	10.12	26.18	12.71	10.43	10.20	13.39
AgRuAl	21.39	11.44	10.29	11.23	8.60	24.88	11.17	8.85	8.62	11.86
AgRuNb	22.38	12.56	11.42	12.35	9.75	25.87	12.34	10.05	9.82	13.02

[0088] Table 11 showed that optical absorptivity of the
5 reflecting layer was reduced much more after annealing in the reflecting layer with the coating layer of the present

invention than the reflecting layer without the coating layer. The $\rm In_2O_3-15$ wt% $\rm Nb_2O_5$ coating layer of the present invention in Table 11 had lower absorptivity than the $\rm SiO_2$ coating layer in Table 10 and the ITO coating layer in Table 12.

[0089] Table 13 showed that the optical characteristics of a three-layer laminate that includes a base film, reflecting layer, and a coating layer after annealing at about 250 °C were similar to those in Tables 9 to 12. The adhesion of the laminate was also as good as the laminate in Table 6. The three-layer laminate was superior in both optical characteristics and adhesion.

15 [0090] The optical characteristics of the three-layer laminate was not impaired by through the use of the coating layer. On the contrary, when the coating layer including In₂O₃ as a main component and 1-30 wt% Nb₂O₅ was used, reflection index was increased by 1 %-6 % and the absorptivity was lowered after annealing at about 250 °C In₂O₃. Table 14 showed that improved reflection index and good optical characteristics can be obtained even when the thinner coating layers are used.

Table 13

absorptivity

	In ₂ O ₃	-5wt% Nb ₂ (O ₅
			3300 ℃
566	10.88	10.24	15.3
564		10.04	15.06
550	9.38	8.829	13.6
500	7.104	7.071	8.297
450	13.42	14.38	7.922
400	26.96	27.49	19.93
	In ₂ O ₃ -	10wt% Nb2	
	①no heating	2 150 ℃	3300 ℃
566	11.13	12.39	13.11
564	10.91	12.16	12.88
550	9.639	10.71	11.42
500	7.113	7.166	7.236
450	12.72	11.8	9.97
400	27.29	26.6	24.28
	In ₂ O ₃ -	15wt% Nb ₂	
	Ono heating	②150 ℃	3300 ℃
566	15.97	18.42	20.29
564	15.74	18.17	20.04
550	14.32	16.69	18.63
500	9.059	10.57	12.36
450	7.363	7.168	7.21
400	17.19	16.56	13.33

5



Table 14

Change in reflection index of the reflecting layer with the change in thickness of the In₂O₂+Nb₂O₅ coating layer

in thickness of the In ₂ O ₃ +ND ₂ O ₅ coating layer										
thickness	5 r	ım	49	nm	70	74 nm				
	before	after	before	after	before	after	after			
λ [nm]	heating									
556	92.99	91	85.61	88.68	83.15	91.32	95.27			
554	92.91	90.85	85.62	88.69	83.18	91.29	95.28			
552	92.84	90.74	85.63	88.67	83.2	91.39	95.28			
550	92.92	90.74	85.69	88.72	83.35	91.5	95.33			
500	90.88	87.82	85.22	88.37	83.56	91.47	95.13			
450	85.71	79.83	82.88	85.02	80.93	87.77	93.56			
400	74.72	70.22	80.63	84.96	79.47	85.35	83.23			
thickness	85	nm	90	nm	100	nm				
	before	after	before	after	before	after				
λ[nm]	heating	heating	heating	heating	heating	heating				
556	86.8	93.4	81.44	91.28	83.36	91.97				
554	86.78	93.36	81.47	91.29	83.3	91.97				
552	86.81	93.37	81.5	91.39	83.31	92.04				
550	86.89	93.43	81.61	91.52	83.39	92.14				
500	86.02	92.98	81.96	92.18	81.36	92.04				
450	81.58	88.19	78.5	88.9	71.91	87.01				
400	74.11	81.17	68	82.7	39.88	70.18				

[0091] The present examples and embodiments are to be considered as illustrative and not restrictive and the invention is not to be limited to the details given herein, but may be modified within the scope and equivalence of the appended claims.